



4750RCHDW02FF15

**Heavy Duty Rigid Case Windmills
Heavy Duty Application Toolkit - 36
Pcs**



PRODUCT DETAILS






- Ready to work at height
- 35 tools for working at height and 1 accessory for storage
- TAH1-100-06-2-4 and TAH1-210-06-2-2 second cut flat engineer's files
- TAH1-230-06-2-2 second cut round engineer's files
- TAH3625PU-50 and TAH489-1100 sledge hammers
- TAHBE64520 chain wrenches
- TAHPINRELEASER pin releaser
- TAHSCB140G steel cable cutting scissors
- TAH24B-27, TAH24B-30, TAH24B-32, TAH24B-36, TAH24B-38, TAH24B-41, TAH24B-46 and TAH24B-50 3/4" drive sockets
- TAH8950N/A 3/4" square torque wrench inserts
- TAH8961 tools for working at height extension
- TAH8953 universal handles
- TAH7452-2 reversible ratchets
- 7452-7-13, 7452-7-17 and 7452-7-19 open end torque wrench inserts
- TAH7455-300-1 and TAH7435-100 torque wrenches
- TAH111M-34, TAH111M-36, TAH111M-41, TAH111M-46 and TAH111M-50 combination pliers
- TAH7444SG-M-36, TAH7444SG-M-41, TAH7444SG-M-46, TAH7444SG-M-50 and TAH7444SG-M-55 slogging ring spanners
- HD rigid case and 4750RCHDW02 container
- According to the standards defined by the DROPS drop prevention method



Follow the Fish!



PRODUCT ATTRIBUTES

Product					
4750RCHDW02FF15	36	480 mm	630 mm	290 mm	34 kg



SET CONTENT



**Stubby Pin Releaser for TAH
Sockets Ø6 mm x 50 mm**
TAHPINRELEASER



**Mechanical Torque Wrench with
Wire Loop 60 N.m-300 N.m**
TAH7455-300-1



**53 L Wheeled Heavy Duty Rigid
Case 627 mm x 475 mm x 292 mm**
4750RCHDW02



**Reversible Ratchet Head Inserts
with Locking Device 12 mm**
TAH7452-2



**ERGO™ Flat File with Safety Ring
150 mm**
TAH1-100-06-2-4



**ERGO™ Half-Round File with
Safety Ring 150 mm**
TAH1-210-06-2-2



**ERGO™ Round File with Safety
Chuck 150 mm**
TAH1-230-06-2-2



**Dead Blow Sledge Hammer with
Wire Loop and Anti-Sliding Handle
620 g**
TAH3625PU-50



**Safety Sledge Hammer with Wire
Loop 1.1 kg**
TAH489-1100



**Chain Oil Filter Wrench with D-
shackle 520 mm**
TAHBE64520



**Heavy Duty Electrician Scissors
with Wire Loop 43 mm**
TAHSCB140G



**50 mm Combination Wrench with
Safety Spring 540 mm**
TAH111M-50



**34 mm Combination Wrench with
Safety Spring 347 mm**
TAH111M-34



**36 mm Combination Wrench with
Safety Spring 400 mm**
TAH111M-36

Follow the Fish!





**41 mm Combination Wrench with
Safety Spring 438 mm**
TAH111M-41



**46 mm Combination Wrench with
Safety Spring 500 mm**
TAH111M-46



**Ring End Slogging Wrench with D-
Shackle 55 mm**
TAH7444SG-M-55



**Ring End Slogging Wrench with D-
Shackle 36 mm**
TAH7444SG-M-36



**Ring End Slogging Wrench with D-
Shackle 41 mm**
TAH7444SG-M-41



**Ring End Slogging Wrench with D-
Shackle 46 mm**
TAH7444SG-M-46



**Ring End Slogging Wrench with D-
Shackle 50 mm**
TAH7444SG-M-50



**3/4" Square Drive Socket with 27
mm Hex Profile and 4 point solution**
TAH24B-27



**3/4" Square Drive Socket with 30
mm Hex Profile and 4 point solution**
TAH24B-30



**3/4" Square Drive Socket with 32
mm Hex Profile and 4 point solution**
TAH24B-32



**3/4" Square Drive Socket with 36
mm Hex Profile and 4 point solution**
TAH24B-36



**3/4" Square Drive Socket with 38
mm Hex Profile and 4 point solution**
TAH24B-38



**3/4" Square Drive Socket with 41
mm Hex Profile and 4 point solution**
TAH24B-41



**3/4" Square Drive Socket with 46
mm Hex Profile and 4 point solution**
TAH24B-46



**3/4" Square Drive Socket with 50
mm Hex Profile and 4 point solution**
TAH24B-50



**3/4" Square Drive Reversible
Ratchet Heads with Loop Wire 170
mm**
TAH8950N/A





**3/4" Square Drive Universal Handle
with Loop Wire 505 mm**
TAH8953



**3/4" Square Drive Extension Bar
with 4 Point Solution 200 mm**
TAH8961



**Torque Wrench with
Interchangeable Head and Wire
Loop 20 N.m-100 N.m**
TAH7435-100

Follow the Fish!

