

according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name SqueekyKleen™ Cleaner/Degreaser

Registration number (REACH)

Ingredients in the mixture do not fulfill the tonnage requirements for REACH registration as they are produced and/or imported <1mton

per yea

in order to use the most updated information we have incorporated data available via the public REACH dossier into the safety data-

data ava

Article number TC-xxxD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

#### 1.3 Details of the supplier of the safety data sheet

Polywater Europe BV Zuidhaven 9-11 Unit B2 4761 CR Zevenbergen Netherlands

Telephone: +31 (0)10 2330578 e-mail: sds@polywater.com Website: www.polywater.com

e-mail (competent person) sds@polywater.com

#### 1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class		Hazard class and category	Hazard state- ment
3.4S	4S skin sensitisation		Skin Sens. 1	H317
3.10	3.10 aspiration hazard		Asp. Tox. 1	H304
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word danger

United Kingdom: en Page: 1 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

- pictograms

**GHS07, GHS08** 



- hazard statements

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

- hazardous ingredients for labelling

(R)-p-mentha-1,8-diene; Hydrocarbons, C10-C13, n-alkanes,

isoalkanes, cyclics, < 2% aromatics

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

The product does not contain any (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the substance and hence require reporting in this section.

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Picto- grams	Notes	Specific Conc. Limits	M-Factors
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- lics, < 2% aro- matics	EC No 918-481-9	≥90	Asp. Tox. 1 / H304 EUH066				
(R)-p-mentha- 1,8-diene	CAS No 5989-27-5 68606-81-5 EC No 227-813-5	1-<2.5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410				

#### Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

United Kingdom: en Page: 2 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0 Revision: 2018-12-03 Replaces version of: 2018-11-02 (1)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

#### Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO2); Foam

Unsuitable extinguishing media

Water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO2).

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

United Kingdom: en Page: 3 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

#### 6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- flammability hazards

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge.

- incompatible substances or mixtures

Observe hints for combined storage. Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

#### 7.3 Specific end use(s)

There is no additional information.

United Kingdom: en Page: 4 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

## SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0 Revision: 2018-12-03 Replaces version of: 2018-11-02 (1)

#### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

#### **National limit values**

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Nota- tion	Source
GB	cycloalkanes, >C7	5989-27-5	WEL		800				EH40/2005

Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless

otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted

average (unless otherwise specified)

#### Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Televant BNEES of compensation of the mixture								
Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	DNEL	66.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects		
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	DNEL	16.6 mg/m <sup>3</sup>	human, inhalatory	consumer (private households)	chronic - systemic effects		
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	DNEL	4.8 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects		
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	DNEL	4.8 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects		

#### Relevant PNECs of components of the mixture

	•					
Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	PNEC	14 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	PNEC	1.4 <sup>µg</sup> / <sub>I</sub>	aquatic organisms	marine water	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	PNEC	1.8 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	PNEC	3.85 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sedi- ment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	PNEC	0.385 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
(R)-p-mentha-1,8- diene	5989-27-5 68606-81-5	PNEC	0.763 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 **Exposure controls**

Appropriate engineering controls

General ventilation.

United Kingdom: en Page: 5 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

## SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

#### Skin protection

Protective clothing (EN 340).

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

Nitrile rubber

- material thickness

≥ 0,38 mm

- breakthrough times of the glove material

>480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state	liquid
Colour	colourless
Odour	like lemon

#### Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	≥146 °C at 101.3 kPa >185 °C
Flash point	>60.5 °C at 101.3 kPa (c.c.)
Evaporation rate	<0.1 (n-butyl acetate = 1) (Supplier)

United Kingdom: en Page: 6 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

Flammability (solid, gas)	not relevant, (fluid)		
Explosive limits	calculated value, referring to a component of the mixture		
- lower explosion limit (LEL)	0.7 vol%		
- upper explosion limit (UEL)	7 vol%		
Vapour pressure	≤3.7 kPa at 37.8 °C <134 Pa at 20 °C		
Density	not determined		
Vapour density	this information is not available		
Relative density	>1 (air = 1) 0.79 (water = 1)		
Solubility(ies)	not determined		
Partition coefficient			
- n-octanol/water (log KOW)	this information is not available		
Auto-ignition temperature	>200 °C		

#### Viscosity

- kinematic viscosity	1.3 – 2.5 cSt at 20 °C (ASTM D 7042)		
Explosive properties	none		
Oxidising properties	none		

#### 9.2 Other information

There is no additional information.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

Oxidisers.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

United Kingdom: en Page: 7 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

## SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0 Revision: 2018-12-03 Replaces version of: 2018-11-02 (1)

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		oral	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rat
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		inhalation: va- pour	LC50	6,100 <sup>mg</sup> / <sub>m³</sub> /4h	rat
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	oral	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed:

Irritation of the digestive tract. Nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue).

United Kingdom: en Page: 8 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

# SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

If in eyes:

Localised redness. Irritation.

If inhaled:

Cough, pain, choking, and breathing difficulties, Nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue)

If aspirated:

Pneumonia, Varying degrees of pulmonary injury, Death following aspiration

If on skin:

Irritating, Allergic reactions (such as skin rashes, hives, asthma or anaphylactic shock)

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		LL50	>1,000 <sup>mg</sup> / <sub>l</sub>	fish	48 h
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		EL50	>1,000 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	LC50	720 <sup>µg</sup> / <sub>I</sub>	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	EC50	688 <sup>µg</sup> / <sub>I</sub>	fish	96 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	ErC50	0.32 <sup>mg</sup> / <sub>l</sub>	algae	72 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		LL50	>1,000 <sup>mg</sup> / <sub>I</sub>	fish	24 h
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		EL50	>1,000 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	24 h
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	EC50	<0.67 <sup>mg</sup> / <sub>I</sub>	fish	8 d
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5	LC50	0.41 <sup>mg</sup> / <sub>l</sub>	fish	8 d

United Kingdom: en Page: 9 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

#### 12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- lics, < 2% aro- matics		oxygen deple- tion	10 %	5 d		ECHA
(R)-p-mentha- 1,8-diene	5989-27-5 68606-81-5	carbon dioxide generation	58.8 %	14 d		ECHA
(R)-p-mentha- 1,8-diene	5989-27-5 68606-81-5	oxygen deple- tion	80 %	28 d		ECHA

#### 12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
(R)-p-mentha-1,8-diene	5989-27-5 68606-81-5		4.38 (pH value: 7.2, 37 °C)	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### 12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 10 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0 Revision: 2018-12-03 Replaces version of: 2018-11-02 (1)

#### **SECTION 14: Transport information**

Not subject to transport regulations **UN number** 

14.2 **UN proper shipping name** not relevant

14.3 Transport hazard class(es) none

not relevant 14.4 Packing group

14.5 **Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regu-

lations

#### 14.6 Special precautions for user

There is no additional information.

#### Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

#### Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

#### International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

#### **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Type of registra- tion	Restriction	No
SqueekyKleen <sup>TM</sup> Cleaner/De- greaser	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3
(R)-p-mentha-1,8-diene	flammable / pyrophoric		1907/2006/EC annex XVII	R40	40

#### Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard
- on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

  5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: Keep lamps filled with this liquid out of the reach of children; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque con-

United Kingdom: en Page: 11 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

### SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0 Revision: 2018-12-03 Replaces version of: 2018-11-02 (1)

#### Legend

R40

tainers not exceeding 1 litre by 1 December 2010.

- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
  - metallic glitter intended mainly for decoration, - artificial snow and frost.
  - 'whoopee' cushions.
  - silly string aerosols.
  - imitation excrement
  - horns for parties,
  - decorative flakes and foams,
  - artificial cobwebs,
  - stink bombs.
  - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly
  - 'For professional users only'
  - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC (2).
  - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements

#### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/1	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes			
	not assigned					

#### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)**

None of the ingredients are listed.

#### Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

#### Regulation 98/2013/EU on the marketing and use of explosives precursors

None of the ingredients are listed.

#### **Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

#### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.1		Classification according to Regulation (EC) No 1272/ 2008 (CLP): change in the listing (table)
2.1		The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of water-courses.

United Kingdom: en Page: 12 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

# SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

Section	Former entry (text/value)	Actual entry (text/value)
2.2		- hazard statements: change in the listing (table)
12.1	Toxicity: Shall not be classified as hazardous to the aquatic environment.	Toxicity: Harmful to aquatic life with long lasting effects.
12.2		Degradability of components of the mixture: change in the listing (table)
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)
16	Indication of changes (revised safety data sheet): Complete revision of the safety data sheet. This safety datasheet supersedes revision: TC-D SDS 2018 EU Rev 8 EU.	
16		Abbreviations and acronyms: change in the listing (table)
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations		
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)		
Aquatic Acute	Hazardous to the aquatic environment - acute hazard		
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard		
Asp. Tox.	Aspiration hazard		
BCF	Bioconcentration factor		
BOD	Biochemical Oxygen Demand		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures		
COD	Chemical oxygen demand		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
DMEL	Derived Minimal Effect Level		
DNEL	Derived No-Effect Level		
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)		
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)		
EINECS	European Inventory of Existing Commercial Chemical Substances		
ELINCS	European List of Notified Chemical Substances		
Flam. Liq.	Flammable liquid		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		

United Kingdom: en Page: 13 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

## SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

Abbr.	Descriptions of used abbreviations			
IATA	International Air Transport Association			
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)			
ICAO	International Civil Aviation Organization			
IMDG	International Maritime Dangerous Goods Code			
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008			
log KOW	n-Octanol/water			
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")			
NLP	No-Longer Polymer			
PBT	Persistent, Bioaccumulative and Toxic			
PNEC	Predicted No-Effect Concentration			
ppm	Parts per million			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals			
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)			
Skin Corr.	Corrosive to skin			
Skin Irrit.	Irritant to skin			
Skin Sens.	Skin sensitisation			
STEL	Short-term exposure limit			
SVHC	Substance of Very High Concern			
TWA	Time-weighted average			
vPvB	Very Persistent and very Bioaccumulative			
WEL	Workplace exposure limit			

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text			
H226	Flammable liquid and vapour.			
H304	May be fatal if swallowed and enters airways.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			

United Kingdom: en Page: 14 / 15



according to Regulation (EC) No. 1907/2006 (REACH)

# SqueekyKleen™ Cleaner/Degreaser

Version number: 2.0
Replaces version of: 2018-11-02 (1)

Code	Text
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 15 / 15