Supersedes date: 11/11/2019



SAFETY DATA SHEET POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Product number

MCC-POCGL, MCC-POC03M, MCC-POCP, MCC-POCL, MCC-POCG, MCC-POCGG, MCC-

POCD, POC03D, POC03GG, POC03GL, MCC-POC10M

Synonyms; trade names

NSN: 6850-01-592-9391; NATO: 6850-99-328-5073

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Cleaning agent.

Uses advised against

No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier

MICROCARE EUROPE BVBA VEKESTRAAT 29 B11 INDUSTRIEZONE 'T SAS 1910 KAMPENHOUT, Belgium

+32.2.251.95.05

techsupport@microcare.com

Manufacturer

MICROCARE EUROPE BVBA VEKESTRAAT 29 B11

INDUSTRIEZONE 'T SAS
1910 KAMPENHOUT, Belgium
Phone +32.2.251.95.05
Fax +32.2.400.96.39
EuroSales@MicroCare.com

1.4. Emergency telephone number

Emergency telephone

CHEMTREC UK (London) +(44)-870-8200418 +1 703-741-5970 (from anywhere in the world)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards

Not Classified

Health hazards

Not Classified

Environmental hazards

Not Classified

2.2. Label elements

Hazard statements

NC Not Classified

Supplemental label

EUH210 Safety data sheet available on request. RCH001a For use in industrial installations only.

information

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/Information on ingredients

3.2. Mixtures

Methyl Nonafluoroisobutyl Ether

30-60%

CAS number: 163702-08-7

EC number: 422-270-2

REACH registration number: 01-

0000016878-53-0001

Classification
Not Classified

Methyl Nonafluorobutyl Ether

30-60%

CAS number: 163702-07-6

EC number: 422-270-2

REACH registration number: 01-

0000016878-53-0001

Classification
Not Classified

PROPAN-2-OL

5-10%

CAS number: 67-63-0

EC number: 200-661-7

Classification

Flam. Liq. 2 - H225

Eye Irrit. 2 - H319

STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Composition

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

Inhalation

No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any

discomfort continues.

Ingestion

No specific recommendations. If throat irritation or coughing persists, proceed as follows.

Rinse mouth. Get medical attention if any discomfort continues.

Skin contact

No specific recommendations. Rinse with water. Get medical attention if any discomfort

continues.

Eye contact

Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical

attention if any discomfort continues.

Protection of first aiders

Use protective equipment appropriate for surrounding materials.

4.2. Most important symptoms and effects, both acute and delayed

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

inhalation No specific symptoms known. Spray/mists may cause respiratory tract irritation.

ingestion No specific symptoms known. May cause discomfort if swallowed.

Skin contact No specific symptoms known. May cause discomfort.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

4.3. indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatments No special treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use

water spray to disperse vapours and protect men stopping the leak.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No specific recommendations. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Reuse or recycle products wherever possible. Absorb spillage to prevent material damage.

Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.

Dispose of contents/container in accordance with national regulations.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Supersedes date: 11/11/2019

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed

when not in use. Avoid the formation of mists.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). No specific recommendations.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description Cleaning agent.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Methyl Nonafluoroisobutyl Ether

Long-term exposure limit (8-hour TWA): 750 ppm

Methyl Nonafluorobutyl Ether

Long-term exposure limit (8-hour TWA): 750 ppm

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

ingredient comments WEL = Workplace Exposure Limits Threshold Limit Values (2005), ACGIH, by the American

Conference on Governmental Industrial Hygienists. ACGIH = US Standard. SUP = Supplier's recommendation. EU = Indicative Values according to Commission Directive 91/322/EEC.

8.2. Exposure controls

Protective equipment



Appropriate engineering

Eye/face protection

No specific ventilation requirements.

controls

No specific eye protection required during normal use. Large Spillages: Eyewear complying

with an approved standard should be worn if a risk assessment indicates eye contact is

possible.

Hand protection

No specific hand protection recommended. Large Spillages: Wear protective gloves.

Hygiene measures

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke

when using this product.

Respiratory protection

No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is

inadequate, suitable respiratory protection must be worn.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Environmental exposure

controis

Not regarded as dangerous for the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Slight alcoholic.

Odour threshold No information available.

pH No information available.

Melting point No information available. Not applicable.

Initial boiling point and range 54°C/129°F @ 101.3 kPa

Flash point The product is not flammable. On basis of test data. Tag Closed Cup (ASTM D 56)

Evaporation rate 58 (BUOAC = 1)

Evaporation factor No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or explosive limits

Upper flammable/explosive limit: 16.7 %(V) ASTM E681 Lower flammable/explosive limit: 4.0

%(V) ASTM E681

Vapour pressure 27.6 kPa @ 25°C

Vapour density 7.0

Relative density 1.40 (H20 = 1) @ 25°C

Buik density No information available.

Solubility(les) Slightly soluble in water. >10%

Partition coefficient No information available.

Auto-ignition temperature 443°C ASTM E659

Decomposition Temperature No information available.

Viscosity <=0.01 Pa s @ 23°C

Explosive properties No information available.

Giobai Warming Potential

(GWP)

9.2. Other information

Refractive index No information available.

Particle size Not applicable.

Molecular weight Not applicable.

Volatility 100%

Saturation concentration No information available.

Critical temperature No information available.

Volatile organic compound This product contains a maximum VOC content of 133 g/l.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LDso) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermai LD∞) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₂₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

IARC carcinogenicity

Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable

as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information No specific health hazards known. The severity of the symptoms described will vary

dependent on the concentration and the length of exposure.

inhalation No specific symptoms known. Spray/mists may cause respiratory tract irritation.

Ingestion No specific symptoms known. May cause discomfort if swallowed.

Skin contact No specific symptoms known. May cause discomfort.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Toxicological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Acute toxicity - oral

Acute toxicity oral (LD∞

5,000.0

mg/kg)

Species

Rat

Acute toxicity - inhalation

Acute toxicity inhalation

1,000.0

(LCoo vapours mg/l)

Species

Rat

ATE inhalation (vapours

1,000.0

mg/l)

Methyl Nonafluorobutyl Ether

Other health effects

There is no evidence that the product can cause cancer.

Acute toxicity - orai

Acute toxicity oral (LD...

5,000.0

mg/kg)

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Species

Rat

ATE orai (mg/kg)

5,000.0

Acute toxicity - inhalation

Acute toxicity inhalation

1,000.0

(LC_∞ vapours mg/l) Species

Rat

ATE inhalation (vapours

1,000.0

mg/l)

PROPAN-2-OL

Carcinogenicity

IARC carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity

Not listed.

SECTION 12: Ecological information

Ecotoxicity

Not regarded as dangerous for the environment, However, large or frequent spills may have

hazardous effects on the environment.

Ecological Information on ingredients.

Methyl Nonafluoroisobutyl Ether

Ecotoxicity

The product is not expected to be toxic to aquatic organisms.

Methyl Nonafluorobutyl Ether

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

Toxicity

Based on available data the classification criteria are not met.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Toxicity

Not considered toxic to fish.

Methyl Nonafluorobutyl Ether

Toxicity

Not considered toxic to fish.

PROPAN-2-OL

Acute aquatic toxicity

Acute toxicity - fish

LC₅₀, 96 hours: 9,640 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC50, 48 hours: 5102 mg/l, Daphnia magna

IC₅₀, 72 hours: >2,000 mg/l, Algae

Acute toxicity - aquatic

piants

12.2. Persistence and degradability

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Persistence and degradability

The product is not expected to be biodegradable.

Methyl Nonafluorobutyl Ether

Persistence and

No data available.

degredability

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

No information available.

Ecological information on ingredients.

Methyi Nonafluoroisobutyl Ether

Bioaccumulative potential No data available on bioaccumulation.

Methyl Nonafluorobutyl Ether

Bioaccumulative potential No data available on bioaccumulation.

PROPAN-2-OL

Partition coefficient

: 0.05

12.4. Mobility in soil

Mobility

No data available.

Adsorption/desorption

coefficient

Not known.

. . . .

Henry's law constant

Not known.

Surface tension

Not determined.

Ecological information on ingredients.

Methyl Nonafluoroisobutyl Ether

Mobility

Not applicable.

Methyl Nonafluorobutyl Ether

Mobility

Not applicable.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects

None known.

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

SECTION 13: Disposai considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe

way.

Disposal methods Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water

authority.

SECTION 14: Transport information

14.1. UN number

14.2. UN proper shipping name

Not applicable. Non-hazardous substance.

14.3. Transport hazard class(es)

Not applicable. Non-hazardous substance.

Transport labels

No transport warning sign required.

Not regulated.

14.4. Packing group

Not applicable. Non-hazardous substance.

14.5. Environmental hazards

Environmentally hazardous substance/marine poliutant

No.

14.6. Special precautions for user

No information required.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to No information required. Not relevant.

Annex ii of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15,2. Chemical safety assessment

POC - FIBER OPTIC SPLICE & CONNECTOR CLEANER

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

PROPAN-2-OL

EINECS

Philippines - PiCCS

PROPAN-2-OL

Yes

New Zealand - NZIOC

Not listed.

Taiwan - NECi

Not listed.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC₅o: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

ECso: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Training advice

Only trained personnel should use this material.

Revision comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date

15/11/2019

Revision

65

Supersedes date

11/11/2019

SDS number

BULK-POC

Hazard statements in full

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.