



## SAFETY DATA SHEET ANTI-STATIC FOAM CLEANSER

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**PRODUCT NAME** ANTI-STATIC FOAM CLEANSER  
**PRODUCT NO.** AFC  
AAFC200D  
AAFC400D  
ZA  
**APPLICATION** Cleaning Product  
**SUPPLIER** AF INTERNATIONAL. A division  
of HK WENTWORTH LTD  
ASHBY PARK  
COALFIELD WAY  
ASHBY de la ZOUCH  
LEICESTERSHIRE. LE65 1JF  
UNITED KINGDOM  
+44 (0) 1530 419600  
+44 (0) 1530 416640  
info@hkw.co.uk  
**EMERGENCY TELEPHONE** +44 (0)1530 419600 between 8.30am - 5.00pm Mon – Fri

### 2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

**CLASSIFICATION (1999/45)** Not classified.

#### PHYSICAL AND CHEMICAL HAZARDS

Aerosol containers can explode when heated, due to excessive pressure build-up. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)
PROPAN-2-OL	200-661-7	67-63-0	1-5%	F;R11 Xi;R36 R67
2-BUTOXYETHANOL	203-905-0	111-76-2	1-5%	Xn;R20/21/22 Xi;R36/38
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED	265-149-8	64742-47-8	1-5%	Xn;R65
ALKYLBENZENE SUPLHONIC ACID SODIUM SALT	285-600-2	85117-50-6	1-5%	Xn;R22. Xi;R38,R41.

The Full Text for all R-Phrases is Displayed in Section 16

#### COMPOSITION COMMENTS

Ingredients not listed are classified as non-hazardous or at a concentration below reportable levels

### 4 FIRST-AID MEASURES

#### NOTES TO THE PHYSICIAN

Treat symptomatically

#### INHALATION

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

#### INGESTION

DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

## ANTI-STATIC FOAM CLEANSER

### SKIN CONTACT

Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

### EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

## 5 FIRE-FIGHTING MEASURES

### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### SPECIAL FIRE FIGHTING PROCEDURES

Move container from fire area if it can be done without risk.

### UNUSUAL FIRE & EXPLOSION HAZARDS

Aerosol cans may explode in a fire.

### PROTECTIVE MEASURES IN FIRE

Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.

## 6 ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

### SPILL CLEAN UP METHODS

Absorb in vermiculite, dry sand or earth and place into containers.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

### STORAGE PRECAUTIONS

Store at moderate temperatures in dry, well ventilated area.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
2-BUTOXYETHANOL	WEL	25 ppm(Sk)	123 mg/m3	50 ppm(Sk)		
PROPAN-2-OL	WEL	400 ppm	999 mg/m3	500 ppm	1250 mg/m3	

WEL = Workplace Exposure Limit.

### ENGINEERING MEASURES

No particular ventilation requirements.

### RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

### HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

### EYE PROTECTION

Wear approved chemical safety goggles where eye exposure is reasonably probable.

### OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

### HYGIENE MEASURES

Wash at the end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. DO NOT SMOKE IN WORK AREA!

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Aerosol Liquid
COLOUR	Colourless
ODOUR	Characteristic

## ANTI-STATIC FOAM CLEANSER

<b>VOLATILITY DESCRIPTION</b>	Volatile.
<b>SOLUBILITY</b>	Insoluble in water
<b>BOILING POINT (°C)</b>	>100 (212 F)
<b>RELATIVE DENSITY</b>	0.995 @ 20 °c (68 F)
<b>VAPOUR PRESSURE</b>	2.35 kPa @ 20 °c (68 F)
<b>pH-VALUE, CONC. SOLUTION</b>	7-8

### 10 STABILITY AND REACTIVITY

#### CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition. Avoid contact with acids and alkalis.

#### HAZARDOUS DECOMPOSITION PRODUCTS

Fire or high temperatures create: Carbon monoxide (CO). Hydrogen fluoride (HF). Carbonyl fluoride

### 11 TOXICOLOGICAL INFORMATION

#### GENERAL INFORMATION

No specific health warnings noted.

#### INHALATION

High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting. Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

#### INGESTION

Get medical attention if any discomfort continues.

#### SKIN CONTACT

No specific health warnings noted.

#### EYE CONTACT

May cause temporary eye irritation.

#### OTHER HEALTH EFFECTS

This substance has no evidence of carcinogenic properties.

<b>Name</b>	BUTANE
<b>Toxic Conc. - LC 50</b>	658 mg/l/4h (inh-rat)
<b>Name</b>	PROPAN-2-OL
<b>Name</b>	2-BUTOXYETHANOL
<b>Toxic Dose 1 - LD 50</b>	1480 mg/kg (oral rat)

### 12 ECOLOGICAL INFORMATION

#### ECOTOXICITY

Not regarded as dangerous for the environment.

<b>Name</b>	PROPAN-2-OL
	2-BUTOXYETHANOL
<b>LC 50, 96 Hrs, Fish mg/l</b>	1700
<b>EC 50, 48 Hrs, Daphnia, mg/l</b>	>1000
<b>IC 50, 72 Hrs, Algae, mg/l</b>	500
<b>Name</b>	DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSENE - UNSPECIFIED
<b>LC 50, 96 Hrs, Fish mg/l</b>	>1000
<b>EC 50, 48 Hrs, Daphnia, mg/l</b>	>250
<b>IC 50, 72 Hrs, Algae, mg/l</b>	20

### 13 DISPOSAL CONSIDERATIONS

#### DISPOSAL METHODS

Empty containers must not be burned because of explosion hazard. Dispose of waste and residues in accordance with local authority requirements.

### 14 TRANSPORT INFORMATION

## ANTI-STATIC FOAM CLEANSER



PROPER SHIPPING NAME	AEROSOLS
ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	No.
UN NO. ROAD	1950
ADR CLASS NO.	2
ADR CLASS	Class 2: Gases
ADR PACK GROUP	10(a)
ADR LABEL NO.	2.2
UN NO. SEA	1950
IMDG CLASS	2.2
IMDG PACK GR.	N/A
EMS	F-D, S-U
UN NO. AIR	1950
AIR CLASS	2.2
AIR PACK GR.	N/A

### 15 REGULATORY INFORMATION

#### RISK PHRASES

NC Not classified.

#### SAFETY PHRASES

A1 Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

A2 Do not spray on a naked flame or any incandescent material.

S2 Keep out of the reach of children.

S23 Do not breathe vapour/spray.

#### UK REGULATORY REFERENCES

Chemicals (Hazard Information & Packaging) Regulations.

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

#### ENVIRONMENTAL LISTING

Rivers (Prevention of Pollution) Act 1961. Control of Pollution (Special Waste Regulations) Act 1980.

#### EU DIRECTIVES

System of specific information relating to Dangerous Preparations. 2001/58/EC.

Dangerous Preparations Directive 1999/45/EC.

Dangerous Substance Directive 67/548/EEC.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

#### APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

#### GUIDANCE NOTES

Workplace Exposure Limits EH40.

### 16 OTHER INFORMATION

## ANTI-STATIC FOAM CLEANSER

### REVISION COMMENTS

Revised in accordance with CHIP3 and EU Directives 1999/45/EC and 2001/58/EC

**REVISION DATE** NOVEMBER 2010

**REV. NO./REPL. SDS** 4

**GENERATED**

**SDS NO.** 10628

### RISK PHRASES IN FULL

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R22 Harmful if swallowed.

R65 Harmful: may cause lung damage if swallowed.

R11 Highly flammable.

R36/38 Irritating to eyes and skin.

R36 Irritating to eyes.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R67 Vapours may cause drowsiness and dizziness.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.