



Regin Products Ltd 8-13 Tower Square, Huntingdon, Cambridgeshire PE29 7DT

> Tel: 01480 412415 Fax: 01480 457484 www.regin.co.uk sales@regin.co.uk

Material Safety Data Sheet Regulation EC No 1907/2006 Art.31

**Product Name:** Regin Fumax King Size Smoke Pellets

**Product Code:** REGS25

Last Reviewed: July 2019 Next Review Due: July 2024

In accordance with 453/2010 and 1272/2008

(All references to EU regulations and directives are abbreviated into only the numeric term)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

Trade name **FUMAX, FUMAX KS** 

1.2 Relevant identified uses of the substance or mixture and uses advised against identified use Smoke for leakage tests and air flow studies

1.3 Details of the supplier of the

safety data sheet Company Regin Products Ltd

8-12 Tower Square

Huntingdon Cambs **PE29 7DT** 

Telephone 01480 412415 E-Mail sales@regin.co.uk

1.4 Emergency telephone number

Regin Products Ltd. - 01480 412415 (9:00-17:00 Monday - Friday)

For non-emergency poison information, see <a href="http://www.who.int/ipcs/">http://www.who.int/ipcs/</a> poisons/centre/directory/euro/en/

#### SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with 1272/2008

Irritates eyes (Category 2)

Harmful to aquatic life with long-lasting effects (Category Cron 3)

Classification

Harmful, Hazardous to the aquatic environment.



#### 2.2 Label elements

#### Label information in accordance with 1272/2008

Hazard pictograms



Signal words Warning

Hazard statement

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

Precautionary statement

P210 Keep away from heat, sparks, open flames, or hot surfaces-

No smoking

P273 Avoid release to the environment

P280 Wear eye protection

**Label information** 

C.f.section 16

#### 2.3 Other hazards

The product produces smoke which can cause irritation upon contact with the eyes or inhalation under conditions of long periods of exposure or incorrect use. In case of uncertainty about how the product should be used, please contact the manufacturer of the company from which the product was originally purchased.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS:**

This product is composed of a mixture of several solid substances.

#### 3.2 Mixture

Note that the table shows known hazards of the ingredients in a pure form. These hazards are reduced or eliminated when mixed or diluted, c.f Section 16d.

Constituent	Classification	Concentration
AMMONIUM CHLORIDE		
CAS No 12125-02-9	Acute Tox 4 oral, Eye Irr2;H302,H319	40%
EC No 235-186-4	-	
Index No 017-014-00-8	H302, H319	
	#####################################	
POTASSIUM CHLORATE		
CAS No 3811-04-9	Aquatic Chronic 2,Acute Tox	30%
EC No 223-289-7	4dust, Acute Tox 4oral, Ox Sol 1;	
Index No 017-004-00-3	H411,H332,H302	
	H271, H332/302, H411	-
	portradores - Anal - Individual deleteration in the contract of the contract o	

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complement used in the calculation of the hazards of this mixture, e.f. Section 16b

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

#### Generally

No special measures are considered to be necessary. If symptoms do occur however, call a doctor/physician

#### Upon breathing in

Inhalation of chemicals from the product in normal use is not appropriate. For generated smoke: In the case of overexposure to generated smoke, move the affected person to fresh air. If symptoms persist, consult a doctor.

#### Upon contact with the eyes

Eye contact with chemicals from the product in normal use is not appropriate. for generated smoke: If symptoms occur, Flush with lukewarm water with the eye or eyes wide open. If symptoms persist, consult a doctor. In the case of a broken or tampered product, the procedure for the constituent chemicals is as follows: Flush immediately with lukewarm water for 15-20 min with the eye or eyes wide open. If symptoms persist, consult a doctor.

#### **Upon skin contact**

Skin contact with chemicals from the product is normal use is not appropriate. In case of broken or tampered products the procedure for the constituent chemicals is as follows: Wash the skin with soap and water.

#### **Upon Ingestion**

First rinse the mouth thoroughly with a lot of water and SPIT OUT. Then drink at least ½ litre of water and call a doctor/physician. Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects both acute and delayed

Information on symptoms are ambiguous or missing for this product.

4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

#### SECTION 5: FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media. Recommended extinguishing agents

Extinguish with water

#### Unsuitable extinguishing agents

Must not be extinguished with foam, powder or carbon dioxide

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, substances hazardous to health, or substances harmful in other respects, may be dispersed. Combustible solid.

#### 5.3 Advise for fire-fighters

In case of fire use a respirator mask

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

# **6.1** Personal precautions, protective equipment and emergency procedures Avoid discharge into sewers.

#### 6.2 Environmental precautions

Not applicable

#### 6.3 Methods and material for containment and cleaning up

Collect residues left behind after cleaning shall be treated as hazardous waste. For further information, contact the local authority sanitisation works. Present safety data sheet.

#### 6.4 Reference to other section

Not applicable

#### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

This product should be stored well out of reach of young children and kept safely apart from products intended for consumption. When using, place the product on an incombustible base and check that the product has gone out completely before it is discarded.

#### 7.2 Conditions for safe storage, including any incompatibilities

Handle in premises with modern ventilation standards, Store in a dry place Must not be stored in the vicinity of combustible material Keep away from moisture Store only in the original package

#### 7.3 Specific end uses

Not relevant

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

#### 8.1.1 National limit values, United Kingdom

All ingredients (cf. Section 3) lack occupational exposure limit values

#### 8.2 Exposure controls

In terms of minimizing risks, attention must be paid to the health hazards (c.f Sections 2, 3 and 10) of this product or any of its ingredients according to EU directives 89/391 and 98/24 and national occupational legislation. Eye protection should be worn if there is any danger of direct exposure or splashing. Dust filter IIb (P2) may be required.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: Solid article Colour: white

b) Odour No smell or uncharacteristic smell

c) Odour threshold Not applicable
d) pH Not applicable
e) Melting point /freezing point Not applicable
f) Initial boiling point and boiling range Not applicable
g) Flash point Not applicable

h) Evaporation rate Not applicablei) Flammability (solid, gas) Not applicable

j) Upper/lower flammability or Ignition temperature>200°C

explosive limits

k)	Vapour pressure	Not applicable
I)	Vapour density	Not applicabl
m)	Relative density	Not applicable
n)	Solubility	Not applicable

Partition coefficient: n-octanol/water Not applicable o) Auto-ignition temperature Not applicable p) q) Decomposition temperature Not applicable Not applicable r) Viscosity **Explosive properties** Not applicable s) t) Oxidising properties Not applicable

9.2 Other Information

No data available

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

The product contains no substances which can lead to hazardous reaction at normal use.

#### 10.2 Chemical stability

The product is stable at normal storage and handling conditions.

#### 10.3 Possibility of hazardous reactions

Not indicated

#### 10.4 Conditions to avoid

Avoid heat, sparks and open flames

#### 10.5 Incompatible materials

Avoid mixing with organic material.

#### 10.6 Hazardous decomposition products

Not included

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### General or unspecific toxicity

Not indicated

#### **Acute Effects**

Not classified as an acutely toxic substance

#### Harmfulness

The product is a health hazard

#### **Corrosive and irritating effects**

Irritant on eyes, skin, mucous membranes and the upper respiratory tract

#### Relevant toxicological properties

#### **AMMONIUM CHLORIDE**

Ld50 Orally rat=1650 mg/kg

#### **POTASSIUM CHLORATE**

LD50 Orally rat= 1870 mg/kg

LD50 Dermally rabbit>2000 mg/kg

#### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Contains substance that is toxic to herbs. Prevent discharge to soil, water and air for environmental impact, see also Section 2

#### 12.2 Persistence and degradability

No information about persistence or degradability exists but there is no reason to suppose that the product is persistent.

#### 12.3 Bioaccumulative potential

No information exists on bioaccumulation, but there is no cause for concern in respect of this.

#### 12.4 Mobility in soil

No information about mobility in the nature exists but there is no reason to suppose the product to be ecologically harmful because of this.

#### 12.5 Results of PBT and vPvB assessment

No chemical safety report has been executed.

#### 12.6 Other adverse effects

Not included

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Product Disposal

Reference should be made to "Disposal of explosives waste" issued by the UK Health & Safety Executive, Guidance Note CS23,1998

No attempt should be made to section or dismantle these devices

Large numbers of devices should be disposed of by burning in a controlled manner.

The product after use is not classed as hazardous waste

#### **Container Disposal**

Ensure packaging is free of explosive material prior to disposal

#### SECTION 14: TRANSPORT INFORMATION

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road) RID (railway), AND (inland waterways), IMDG (sea), and ICAO (IATA) (air)

#### 14.1 UN Number

Not classified as dangerous goods

#### 14.2 UN proper shipping name

Not applicable

#### 14.3 Transport hazard class(es)

Not applicable

#### 14.4 Packing group

Not applicable

#### 14.5 Environmental hazards

Not applicable

#### 14.6 Special precautions for user

Not applicable

#### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code

Not applicable

#### 14.8 Other transport information

Stowage category not indicated

Emergency Schedule (EmS) for FIRE (IMDG) Not indicated

Emergency Schedule (EmS) for SPILLAGE (imdg) not indicated

Tramsport category:

#### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

#### SECTION 16: OTHER INFORMATION

16a. Indication of where changes have been made to the previous version of the safety data sheet

**Revisions of this document** 

N/A

16b. Legend to abbreviations and acronyms used in the safety data sheet Full texts for Hazard Class and Category Code mentioned in section 3

No phys haz

Acute Tox 4 oral

Eye irrit 2

Non-assigned physical hazard

Acute toxicity (Category 4 oral)

Irritates eys (Category 2)

Aquatic Chronic 2 Toxic to aquatic life with long lasting effects

(Category Cro

Acute Tox 4dust Acute toxicity (Category 4 dust)
Ox Sol 1 Oxidising solids (Verified Category 1)

#### Comprehensive definition of the hazards mentioned in Section 2

#### Eyes Irrit 2

If, when applied to the eye of an animal, a substance produces at last 2 of 3 tested animals, a positive response of:

- -corneal opacity >= 1 and/or
- iris >= 1, and/or
- -conjuntival redness >= 2 and/or
- -conjunctival oedema (chemosis)>=2

calculated as the mean scores following grading at 24,48,72 hours after installation of the test material, and which fully reverses within an observation period of 21 days

#### **Aquatic Chronic 3**

Chronic (long-term) aquatic hazard 96 hr LC50 (for fish) 10—100mg/1 and/or 48 hr EC50 (for crustaces) 10-100mg/1 and or

72 or 96 hr ErC50 (for algae or other aquatic plants) 10-100mg/1 and the substance is not rapidly degradable and/or the experimentally determined BCF>=500 (or, if absent, the log Kow>=4)unless the chronic toxicity NOECs are>1mg/1

#### Explanation of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangers goods by road

RID Regulations concerning the International Transport of Dangerous Goods by Rail ADN European Agreement concerning the International Carriage of Dangerous Goods by inland Waterways

IMDG International Maritime Dangerous Goods Code ICAO International Civil Aviation Organization IATA The International Air Transport Association Transport category:

#### 16c Key literature references and sources for data Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list. 1272/2008 Annex 1, as updated to 2013-03-28 Where such data was lacking, on the second hand the documentation on which the official classification is based was used e.g IUCLID (International Uniform Chemical information Database) On the third hand, information was used from reputable international chemical suppliers, and on the fourth hand from other available information, e.g.safety data sheets from other suppliers or information from non-profit associations, whereby the reliability of the source was judged by an expert. If, in spite of this, reliable information was not found, the hazards were judged by expert opinions based on the known properties of similar substances, and according to the principles in 1907/2006 and 1272/2008

#### Full texts for Regulations mentioned in this Safety Data Sheet

- 453/2010 COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending regulation (EC) No 1907/2006 of the European Parliament and of the council on the Registration, Evaluation, Authorisation and Restriction of chemicals (REACH)
- 1272/2008 REGULATIONS (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, and amending Regulation (EC) No 1907/2006
- 89/391 COUNCIL DIRECTIVE 89/391/EEC of 12 June 1989 on the introduction of measurers to encourage improvements in the safety and health of workers at work
- 98/24 COUNCIL DIRECTIVE 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16 (1) of Directive 89/391/EEC)
- 2006/12 DIRECTIVE 2006/12/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 5 April 2006 on waste

1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL, of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,93/105/EC and 200/2/EC Annex 1

# 16d Methods of evaluating information referred to in 1272/2008 Article 9 which was the purpose of classification

The calculation of the hazards of this mixture has been performed as an evaluation by applying a weight of evidence determination using expert judgement in accordance with 1272/2008 Amex 1, weighing all available information having a bearing on the determination of the hazards of the mixture, and in accordance with 1907/2006 Annex XI.

## 16e List of relevant hazard statements, and/or precautionary Statements.

#### Full texts for hazard statements mentioned in section 3

H302 Harmful if swallowed

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

H332 Harmful if inhaled

H271 May cause fire or explosive strong oxidizer

# 16f Advice on any training appropriate for workers to ensure protection of human health and the environment. Other relevant information

#### **Label information**

Hazard symbol





Harmful

Hazardous to the aquatic enviroment

#### H statements

H302 Harmful if swallowed

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

#### P statements

P260 – Do not breathe dust/fume/gas/mist/vapours/spray.

P262 - Do not get in eyes, on skin, or on clothing.

P305/P351/P313 - IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.

P273 - Avoid release to the environment.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P301/P315/P101 – IF SWALLOWED: Get immediate medical advice/attention.

If medical advice is needed, have product container or label at hand.