

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1. Product Identifier

Product Name MARSHALL MSC PVC-U SOLVENT CEMENT Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use Adhesives, sealants. Uses advised against None known

## 1.3. Details of the supplier of the safety data sheet

Marshall-Tufflex Ltd Churchfields Industrial Estate, Hastings East Sussex, TN38 9PU Customer Services: +44 (0) 1424 856600 T: +44 (0) 1424 856655 F: +44 (0) 1424 856611 E: sales@marshall-tufflex.com www.marshall-tufflex.com

# 1.4. Emergency telephone number

United Kingdom +44 (1785) 272650 Ireland +353 (1) 8624900 (Monday- Friday 9am-5pm)

# Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation	Category 1 - (H318)
Specific target organ toxicity (single exposure)	Category 3 - (H336)
Flammable Liquids	Category 2 - (H225)

Unknown acute toxicity0 % of the mixture consists of ingredient(s) of unknown toxicityUnknown aquatic toxicity0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

# 2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Contains Cyclohexanone, Methyl ethyl ketone



DANGER

Hazard statements

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapour

EUH066 - Repeated exposure may cause skin dryness or cracking

EUH205 - Contains epoxy constituents. May produce an allergic reaction

EUH208 - Contains Bisphenol-A-Epichlorhydrin Epoxy resin (number average molecular weight <=700). . May produce an allergic reaction

# Precautionary Statements - EU (§28, 1272/2008)

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P260 - Do not breathe fumes

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

SDS00484





## Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P501 - Dispose of contents/containers in accordance with local regulations

## Special provisions concerning the labelling of certain mixtures

Placed on the market in aerosol containers or in containers fitted with a sealed spray attachment

## 2.3. Other Hazards

#### General Hazards

In use may form flammable/explosive vapour-air mixture.

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

This product is a mixture. Health hazard information is based on its components.

#### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	EC No Classification according to Regulation (EC) No. 1272/2008 [CLP)	REACH Registration Number
Methyl ethyl ketone	201-159-0	78-93-3	40 - <80	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225) (EUH066)	01-2119457290-43-XXXX
Cyclohexanone	203-631-1	108-94-1	5 - <10	Acute Tox. 4 (H332) Flam. Liq. 3 (H226) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	01-2119453616-35-XXXX
Bisphenol-A- Epichlorhydrin Epoxy resin	500-033-5	25068-38-6	0.1 - <1	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Chronic 2 (H411)	01-2119456619-26-XXXX

Full text of H- and EUH-phrases: see section 16 Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

# Section 4: FIRST AID MEASURES

# 4.1. Description of first aid measures

General Advice If medical advice is needed, have product container or label at hand.

Inhalation Remove to fresh air.

Skin Contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Eye contact** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a doctor immediately.

Ingestion If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**Self-protection of the first aider** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**4.2. Most important symptoms and effects, both acute and delayed Symptoms** None known.

**4.3. Indication of any immediate medical attention and special treatment needed Note to doctors** Treat symptomatically.



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



# Section 5: FIRE-FIGHTING MEASURES

# 5.1. Extinguishing media

**Suitable Extinguishing Media** Use CO2, dry chemical, or foam.

## Unsuitable Extinguishing Media

Use water spray or fog; do not use straight streams

#### 5.2. Special hazards arising from the substance or mixture

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

#### 5.3. Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

Water spray may reduce vapour; but may not prevent ignition in closed spaces.

#### For emergency responders

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2. Environmental precautions

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

#### 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Dyke far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Use clean non-sparking tools to collect absorbed material. Dyke far ahead of liquid spill for later disposal.

## 6.4. Reference to other sections

#### **Reference to other sections**

See Section 12: ECOLOGICAL INFORMATION Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/lighting /equipment.

#### **General Hygiene Considerations**

Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

# 7.2. Conditions for safe storage, including any incompatibilities Storage Conditions

Keep only in the original container/package in a cool well-ventilated place.

#### 7.3. Specific end use(s)

#### **Other Information**

Recommendation(s); Observe technical data sheet

A MEMBER OF THE MARSHALL-TUFFLEX GROUP OF COMPANIES REG. NO: 1007764 REGISTERED IN ENGLAND AND WALES REGISTERED OFFICE: SIDNEY LITTLE ROAD, CHURCHFIELDS INDUSTRIAL ESTATE, ST. LEONARDS-ON-SEA. EAST SUSSEX TN38 9PU



Page 3 of 9



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Chemical Name	European Union	Ireland	United Kingdom
Methyl ethyl ketone 78-93-3	TWA: 200 ppm TWA: 600 mg/m <sub>3</sub> STEL: 300 ppm STEL: 900 mg/m <sub>3</sub>	TWA: 200 ppm TWA: 600 mg/m <sub>3</sub> STEL: 300 ppm STEL: 900 mg/m <sub>3</sub> Skin	STEL: 300 ppm STEL: 899 mg/m <sub>3</sub> TWA: 200 ppm TWA: 600 mg/m <sub>3</sub> Skin
Cyclohexanone 108-94-1	TWA: 10 ppm TWA: 40.8 mg/m <sub>3</sub> STEL: 20 ppm STEL: 81.6 mg/m <sub>3</sub> S*	TWA: 10 ppm TWA: 40.8 mg/m₃ STEL: 20 ppm STEL: 81.6 mg/m₃ Skin	STEL: 20 ppm STEL: 82 mg/m <sub>3</sub> TWA: 10 ppm TWA: 41 mg/m <sub>3</sub> Skin

Derived No Effect Level (DNEL) No information available

# Predicted No Effect Concentration (PNEC)

No information available.

#### 8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

## **Personal Protective Equipment**

Eye/Face Protection Tight sealing safety goggles. Face protection shield.

Skin and Body Protection Antistatic footwear. Wear fire/flame resistant/retardant clothing. Gloves made of plastic or rubber. Suitable protective clothing. Apron.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Physical State Liquid Appearance Liquid Colour No information available Odour Characteristic Odour Threshold No information available

**Property** pН Melting point/freezing point **Boiling Point Flash Point Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper Flammability Limit Lower Flammability Limit Vapour Pressure Vapour Density **Specific Gravity** Water Solubility Solubility in Other Solvents **Partition Coefficient Autoignition Temperature Decomposition Temperature Explosive Properties Explosive Limits** 

Values No information available No information available 79 °C / 174.2 °F -9 °C / 15.8 °F No information available No information available

No information available No information available No information available No information available No information available

No information available No information available No information available No information available No information available Remarks • Method

Not applicable for liquids



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Upper No information available Lower No information available Oxidising Properties Kinematic Viscosity Dynamic Viscosity

9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density Bulk Density VOC content (%) No information available No information available No information available

No information available No information available No information available No information available 0.90 No Data Available

# Section 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

Stable under recommended storage conditions.

# 10.2. Chemical stability

Stable under recommended storage conditions.

Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. May be ignited by friction, heat, sparks or flames.

# 10.3. Possibility of hazardous reactions Possibility of Hazardous Reactions

None under normal processing.

# 10.4. Conditions to avoid

Keep away from heat, sparks and flames.

# 10.5. Incompatible materials

Strong acids and bases.

# 10.6. Hazardous decomposition products

None under normal use conditions.

# Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects Product Information

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation	No Data Available.
Eye contact	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.
Sensitisation	No Data Available.
Skin Contact	No Data Available.
Ingestion	No Data Available.

# **Component Information**

Toxicity Data No information available

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl ethyl ketone	= 2483 mg/kg(Rat)= 2737 mg/kg(Rat)	= 5000 mg/kg ( Rabbit ) = 6480 mg/kg ( Rabbit )	= 11700 ppm ( Rat ) 4 h
Cyclohexanone	= 1535 mg/kg(Rat)	= 947 mg/kg(Rabbit)	= 8000 ppm ( Rat ) 4 h
Bisphenol-A-Epichlorhydrin Epoxy resin	= 11400 mg/kg ( Rat )		

Deama

EDA ELECTRICAL

DISTRIBUTORS



ISO

50001

ENMS 602935

OHSAS

8001

OHS 622466

4001

EMS 539245

005393

# Marshall Tufflex

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Not applicable.

Skin Corrosion/Irritation Serious eye damage/eye irritation Sensitisation Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity STOT - Single Exposure STOT - Repeated Exposure Target Organ Effects Aspiration Hazard Unknown acute toxicity

Not applicable. Not applicable. Not applicable. No information available. No information available. No information available. Central nervous system, Eyes, Kidney, Liver, Respiratory system, Skin. No information available. 0 % of the mixture consists of ingredient(s) of unknown toxicity

# Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

## **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Methyl ethyl ketone	EC50=1972 mg/l (Pseudokirchneriella subcapitata)	LC50 96 h 3130 - 3320 mg/L (Pimephales promelas flow-through)	EC50 48 h > 308 mg/L (Daphnia magna )
Cyclohexanone	EC50 96 h = 20 mg/L (Chlorella vulgaris)	LC50 96 h 481 - 578 mg/L (Pimephales promelas flow-through)	EC50 24 h = 800 mg/L (Daphnia magna )
Bisphenol-A-Epichlorhydrin Epoxy resin	-	1.2 mg/l 96Hr (Oncorhynchus mykiss)	2.7 mg/l 48hr Daphia Magna

# 12.2. Persistence and degradability

No information available.

# 12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

# 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

## 12.6. Other Adverse Effects

No information available

## **Endocrine Disruptor Information**

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors – Evaluated Substances
Bisphenol-A-Epichlorhydrin Epoxy resin	Group III Chemical	



# Safety Data Sheet Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



# Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other Information used.	Waste codes should be assigned by the user based on the application for which the product was

# Section 14: TRANSPORTATION INFORMATION

UN1133 Adhesives 3 3 III UN1133, Adhesives, 3, III Not applicable 640E F1 D/E 5 L 30
UN1133 Adhesives 3 III UN1133, Adhesives, 3, III, (-9°C c.c.) Not applicable 223, 955 5 L F-E, S-D Innex II of MARPOL 73/78 and the IBC Code
UN1133 Adhesives 3 III UN1133, Adhesives, 3, III Not applicable F1 None 5 L
UN1133 Adhesives 3 III UN1133, Adhesives, 3, III Not applicable A3
UN1133 Adhesives 3 OMPANIES LES FIELDS INDUSTRIAL ESTATE,

EDA ELECTRICAL DISTRIBUTORS ASSOCIATION Deama Q05393 Page 7 of 9

ISO 50001

rgy

ENMS 602935

OHSAS 18001

alth & S

OHS 622466

ISO 14001

EMS 539245



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

14.4 Packing Group	III
Description	UN1133, Adhesives, 3, III
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	A3
Limited Quantity (LQ)	10 L
ERG Code	3L

# Section 15: REGULATORY INFORMATION

**15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture European Union Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken. Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006) EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### 15.2. Chemical safety assessment

No information available

# Section 16: OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3

- H332 Harmful if inhaled
- H226 Flammable liquid and vapour
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H317 May cause an allergic skin reaction
- H411 Toxic to aquatic life with long lasting effects
- H336 May cause drowsiness or dizziness
- H225 Highly flammable liquid and vapour

# EUH066 - Repeated exposure may cause skin dryness or cracking

#### Legend

SVHC: Substances of Very High Concern for Authorisation: Substance(s) of Very High Concern PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure EWC: European Waste Catalogue

# Key literature references and sources for data

Classification and labelling data calculated from data received from raw material suppliersPrepared ByManagement Systems DepartmentRevision Date09-Mar-2016Indication of changesNot applicable.Revision NoteNot applicable.Training AdviceProvide adequate information, instruction, and training for operatorAdditional informationNo information availableThis safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

A MEMBER OF THE MARSHALL-TUFFLEX GROUP OF COMPANIES REG. NO: 1007764 REGISTERED IN ENGLAND AND WALES REGISTERED OFFICE: SIDNEY LITTLE ROAD, CHURCHFIELDS INDUSTRIAL ESTATE, ST. LEONARDS-ON-SEA. EAST SUSSEX TN38 9PU



Marshall Tufflex

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

