
Kaeser Premium 200-4W Compressor

Product Images

Product Code: S83-2794



Short Description

Kaeser Premium compressor especially suitable for contractors working on internal fibre blows where petrol compressors aren't an option. Ideal for distances less than 500m, the unit's special design enables easy single-handed manoeuvrability.

Flow Rate at 6 bar l/min: 113

Intake Volume l/min: 200

Air Receiver Volume l/min: 4

Max Pressure Bar: 10

Rated Power Motor kW: 1.1

No. of Cylinders: 1

Sound pressure level * dB(A) 72

Hose connection: 6mm

Power Supply: 230v AC

Dimensions: 610 x 350 x 570

Weight: 33kg

* Sound pressure level calculated from the measured average sound power level (Directive 2000/14/EG, sound measurement basic standard ISO 3744) as per EN ISO 11203 at distance $d = 1\text{m}$, $Q_2 =$ Enveloping surface dimension dB.

Flow rate and performance data as per ISO 1217:2009, Annex C

Description

Kaeser Premium compressor especially suitable for contractors working on internal fibre blows where petrol compressors aren't an option. Ideal for distances less than 500m, the unit's special design enables easy single-handed manoeuvrability.

Flow Rate at 6 bar l/min: 113

Intake Volume l/min: 200

Air Receiver Volume l/min: 4

Max Pressure Bar: 10

Rated Power Motor kW: 1.1

No. of Cylinders: 1

Sound pressure level * dB(A) 72

Hose connection: 6mm

Power Supply: 230v AC

Dimensions: 610 x 350 x 570

Weight: 33kg

* Sound pressure level calculated from the measured average sound power level (Directive 2000/14/EG, sound measurement basic standard ISO 3744) as per EN ISO 11203 at distance $d = 1\text{m}$, $Q_2 =$ Enveloping surface dimension dB.

Flow rate and performance data as per ISO 1217:2009, Annex C