

Ultracrete QC6 Surface Reinstatement Concrete Pre-mix - 40x 25kg Buckets

Product Images

Product Code: S00-3540





Short Description

Instarmac Ultracrete QC6 Surface Reinstatement Concrete is approved by the major telecoms operators. This non-shrinkage concrete is designed for the repair of concrete surfaces around access covers, street furniture and general repairs of roads and pedestrian pathways, concrete walkways, sidewalks etc.

Specifications

Colour Grey

Depth (Min / Maxi) 12 - 100 mm

Workability: 5-10 minutes

Open to traffic: 4 hours

Operating temperature (° C) 5

Compression (N / mm²) 57 after 28 days

Supplied in a pallet of 40 x 25kg tubs.

Description

Instarmac Ultracrete QC6 Surface Reinstatement Concrete is approved by the major telecoms operators. This non-shrinkage concrete is designed for the repair of concrete surfaces around access covers, street furniture and general repairs of roads and pedestrian pathways, concrete walkways, sidewalks etc.

Specifications

Colour Grey

Depth (Min / Maxi) 12 - 100 mm

Workability: 5-10 minutes

Open to traffic: 4 hours

Operating temperature (° C) 5

Compression (N / mm²) 57 after 28 days

Supplied in a pallet of 40 x 25kg tubs.