

# Ultracrete QC6 Surface Reinstatement Concrete Pre-mix - 40x 25kg Buckets

Product Images

Product Code: S00-3540





## Short Description

---

Instarmac Ultracrete QC6 Surface Reinstatement Concrete is approved by the major telecoms operators. This non-shrinkage concrete is designed for the repair of concrete surfaces around access covers, street furniture and general repairs of roads and pedestrian pathways, concrete walkways, sidewalks etc.

### Specifications

Colour Grey

Depth (Min / Maxi) 12 - 100 mm

Workability: 5-10 minutes

Open to traffic: 4 hours

Operating temperature (° C) 5

Compression (N / mm<sup>2</sup>) 57 after 28 days

Supplied in a pallet of 40 x 25kg tubs.

## Description

---

Instarmac Ultracrete QC6 Surface Reinstatement Concrete is approved by the major telecoms operators. This non-shrinkage concrete is designed for the repair of concrete surfaces around access covers, street furniture and general repairs of roads and pedestrian pathways, concrete walkways, sidewalks etc.

## Specifications

Colour Grey

Depth (Min / Maxi) 12 - 100 mm

Workability: 5-10 minutes

Open to traffic: 4 hours

Operating temperature (° C) 5

Compression (N / mm<sup>2</sup>) 57 after 28 days

Supplied in a pallet of 40 x 25kg tubs.