

Altrad Belle PCLX320 3.0hp Honda Petrol Compactor

Product Images

Product Code: P57-3845



Short Description

Medium weight professional compaction plate with low hand arm vibration featuring a comfort grip

handle and fully enclosed belt guard for extra protection.

Features

- Low Hand-Arm Vibration design for longer safe usage times.
- Tubular frame designed to protect vulnerable components.
- Patented baseplate design for optimised speed and manoeuvrability.
- Lightweight yet durable for easy transport.
- Removable 12 litre water tank features a quick- release design.
- Fitted with manual handling points.
- Oil Sealed lubricated Bearings for extended service life.
- High power 13kN vibration force.
- Engineered to be robust and durable for rental and heavy contractor usage.
- Easy to operate and control, the baseplate does not dig in when dragged backwards or turned.

Engine Power 3.0 hp / 2.2 Kw

Plate Size (w x l) 320mm x 417mm

Static Pressure 460Kg/m²

Centrifugal Force 13 kN

Forward Speed 21.2 meters per minute

This product may incur an additional carriage charge. Please contact sales for details.

Weight 61.5Kg

This product may incur an additional carriage charge. Please contact sales for details.

Description

Medium weight professional compaction plate with low hand arm vibration featuring a comfort grip handle and fully enclosed belt guard for extra protection.

Features

- Low Hand-Arm Vibration design for longer safe usage times.
- Tubular frame designed to protect vulnerable components.
- Patented baseplate design for optimised speed and manoeuvrability.
- Lightweight yet durable for easy transport.
- Removable 12 litre water tank features a quick- release design.
- Fitted with manual handling points.
- Oil Sealed lubricated Bearings for extended service life.
- High power 13kN vibration force.
- Engineered to be robust and durable for rental and heavy contractor usage.
- Easy to operate and control, the baseplate does not dig in when dragged backwards or turned.

Engine Power 3.0 hp / 2.2 Kw

Plate Size (w x l) 320mm x 417mm

Static Pressure 460Kg/m²

Centrifugal Force 13 kN

Forward Speed 21.2 meters per minute

Weight 61.5Kg

This product may incur an additional carriage charge. Please contact sales for details.