





Filoseal+ Duct Sealing Kit 75 - 125mm

Product Images

Product Code: S83-0756







Short Description

Duct sealing system FiloSeal+ is a universal solution for sealing cables and pipes in ducts or bore holes. FiloSeal+ is suitable for sealing several cables or pipes contained in one duct and also allows re-entry of the seal to add or remove cables or pipes as required.

Features

Flexible, one component, adhesive and sealing compound in a cartridge (310ml)

Kits are complete with backing and mastic to fill an empty duct of the quoted kit size

High levels of Gas and Water tightness

Excellent adhesion

Shows Fire resistance properties

Resistant against Water, Alkaline, Chemical agents

Resistant to, Petrol, Diesel, Ethanol, ASTM oil, LPG & Many more.

Suitable for sealing underground cable ducts set out within the APEA 'BlueBook'

Resistant to Hydrogen Sulphide / Methane and many other Gases (NedLab)

Non-corrosive

Solvent-free

Shock absorbing

Non-toxic, neutral and almost odourless

Also suitable for limiting the EX-zones during transitions (observe chemical resistance)

Complies with 2011 NEC Articles 225.27, 230.8, 300.5(G), 300.7 (A) on Raceway Seals, and 501.15 (B)(2)

WIMES Compliant, (3.02 2013 clause 6.4.3.2 d)
Suitable for any shaped duct /borehole/opening
Quick and easy installation
A complete kit for one duct
Seals all known materials, PVC & PE sheathed cables, PILC, (HD) PE pipes
Suitable for renovations, can be installed retrospectively
Over 25 years of operational experience
Thames Water Approved
Welsh Water Approved
Severn Trent Water Approved
Southern Water Approved
Anglian Water Approved
South East Water Approved
Yorkshire Water Approved
Bournemouth Water Approved
Scottish Water Approved

Please see datasheet for further details

Description

Duct sealing system FiloSeal+ is a universal solution for sealing cables and pipes in ducts or bore holes. FiloSeal+ is suitable for sealing several cables or pipes contained in one duct and also allows re-entry of the seal to add or remove cables or pipes as required.

Features

Flexible, one component, adhesive and sealing compound in a cartridge (310ml)
Kits are complete with backing and mastic to fill an empty duct of the quoted kit size
High levels of Gas and Water tightness
Excellent adhesion
Shows Fire resistance properties
Resistant against Water, Alkaline, Chemical agents
Resistant to, Petrol, Diesel, Ethanol, ASTM oil, LPG & Many more.
Suitable for sealing underground cable ducts set out within the APEA 'BlueBook'
Resistant to Hydrogen Sulphide / Methane and many other Gases (NedLab)
Non-corrosive

Solvent-free

Shock absorbing

Non-toxic, neutral and almost odourless

Also suitable for limiting the EX-zones during transitions (observe chemical resistance)

Complies with 2011 NEC Articles 225.27, 230.8, 300.5(G), 300.7 (A) on Raceway Seals, and 501.15 (B)(2)

WIMES Compliant, (3.02 2013 clause 6.4.3.2 d)

Suitable for any shaped duct /borehole/opening

Quick and easy installation

A complete kit for one duct

Seals all known materials, PVC & PE sheathed cables, PILC, (HD) PE pipes

Suitable for renovations, can be installed retrospectively

Over 25 years of operational experience

Thames Water Approved

Welsh Water Approved

Severn Trent Water Approved

Southern Water Approved

Anglian Water Approved

South East Water Approved

Yorkshire Water Approved

Bournemouth Water Approved

Scottish Water Approved

Please see datasheet for further details