
Tube Distribution Closure

Product Images

Product Code: 7514



Short Description

The Tube Distribution Closure (TDC) can be Direct Buried into a waiting trench (following DB fibreflow installation procedures on back-fill) or placed inside a manhole or handhole.

- Accepts Fibreflow™ tube bundles and subducts up to 40mm (1.6") in diameter
- One piece grommet and seal arrangement
- Manifold option allows 6 x 1 DB to be dropped off from 1 port.
- Captivated screws in lid portion allowing inverted installation
- Can be re-entered
- Can be retro-fitted to existing tube bundles/subducts
- Straight through, H, Y and T configurations possible
- IP40 rated
- Lightweight - 1.2 Kg (2.6 lb)

Materials : Plastics hell.

All metallic parts - Stainless Steel

Dimensions: Length: 316mm (12.4") Width: 220mm (8.7") Height: 70mm (2.8")

Colour: Black

Description

The Tube Distribution Closure (TDC) can be Direct Buried into a waiting trench (following DB fibreflow installation procedures on back-fill) or placed inside a manhole or handhole.

- Accepts Fibreflow™ tube bundles and subducts up to 40mm (1.6") in diameter
- One piece grommet and seal arrangement
- Manifold option allows 6 x 1 DB to be dropped off from 1 port.
- Captivated screws in lid portion allowing inverted installation
- Can be re-entered
- Can be retro-fitted to existing tube bundles/subducts

- Straight through, H, Y and T configurations possible
- IP40 rated
- Lightweight - 1.2 Kg (2.6 lb)

Materials : Plastics hell.

All metallic parts - Stainless Steel

Dimensions: Length: 316mm (12.4") Width: 220mm (8.7") Height: 70mm (2.8")

Colour: Black