

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Mini Duct Split Cable Seal 25 (6.5 - 8.5mm) Pk25

Product Images Product Code: 75728



Short Description

Divisible mini-duct sealing plug sets developed to provide an effective and simple solution for gas and watertight duct sealing requirements. The modular system enables installation in new and existing situations.

Features

- •Gas and watertight upto 0.5Bar
- Suitable for retrofitting
- Easy Installation
- •Slim Design

Specifications

Plastic Shells:Glass-fibre reinforced polyamide

Cutting Block:Glass-fibre reinforced polyamide

Sealing Plug:TPE

Sealing Pressure:up to 0.5 Bar

Pull-out force duct:≥100N

Mechanical compression strength:≥1000N, 10 sec.

Supplied as 2 half-shells and a split rubber seal

Pack of 25

Description

Divisible mini-duct sealing plug sets developed to provide an effective and simple solution for gas and watertight duct sealing requirements. The modular system enables installation in new and existing situations.

Features

- •Gas and watertight upto 0.5Bar
- Suitable for retrofitting
- Easy Installation
- Slim Design

Specifications

Plastic Shells:Glass-fibre reinforced polyamide

Cutting Block:Glass-fibre reinforced polyamide

Sealing Plug:TPE

Sealing Pressure:up to 0.5 Bar

Pull-out force duct:≥100N

Mechanical compression strength:≥1000N, 10 sec.

Supplied as 2 half-shells and a split rubber seal