

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Mini Duct Split Cable Seal 16 (5.0 - 6.5mm) Pk25

Product Images Product Code: 71978



Short Description

Divisible mini-duct sealing plug sets developed to provide an effective and simple solution for gas and watertight duct sealing requirements. The modular system enables installation in new and existing situations.

Features

- · Gas and watertight upto 0.5Bar
- Suitable for retrofitting
- Easy Installation
- Slim Design

Specifications

Plastic Shells: Glass-fibre reinforced polyamide Cutting Block: Glass-fibre reinforced polyamide

Sealing Plug: TPE

Sealing Pressure: up to 0.5 Bar Pull-out force duct: ≥100N

Mechanical compression strength: ≥1000N, 10 sec.

Supplied as 2 half-shells and a split rubber seal

Pack of 25

Description

Divisible mini-duct sealing plug sets developed to provide an effective and simple solution for gas and watertight duct sealing requirements. The modular system enables installation in new and existing situations.

Features

- Gas and watertight upto 0.5Bar
- Suitable for retrofitting
- Easy Installation
- Slim Design

Specifications

Plastic Shells: Glass-fibre reinforced polyamide Cutting Block: Glass-fibre reinforced polyamide

Sealing Plug: TPE

Sealing Pressure: up to 0.5 Bar Pull-out force duct: ≥100N

Mechanical compression strength: ≥1000N, 10 sec.