

Prysmian SJC Small Joint Closure 24 Splices For Cable 6-12mm

Product Images

Product Code: XJTSC02470



Short Description

The SJC Closure is a splice closure that is used for track or branch applications.

It has 4 cable entry ports, a splice cassette for 24 splices and a cable management and storage area.

The closure is sealed to IP68 for water and dust tightness.

The closure is supplied with four knock-out ports and two entry glands.

Up to two additional entry glands can be ordered separately.

Features and Benefits

- A compact closure for track and branch applications.
- Closure has four knock out ports.
- Each port accommodates a cable gland for cables 5-9mm or 6-12mm.
- Closure is supplied with two glands. Additional glands are available separately.
- Contains a single splice tray for up to 24 splices. • Splice tray accommodates 2.2mm splice protectors.
- Cable management plate to secure cables and route fibres.
- Robust construction enabling direct buried applications.
- Can be used underground or can be mounted to a wall.
- Sealed to IP68 at 5m and UV resistant to ISO 4892. • Gland available for double entry – 8 entries in total for 4-6mm cables.

The SJC is supplied with: 1 x Base, 1 x Cover, 1 x O Seal, 1 x Splice Tray, 1 x Cable Management Plate 02 x Cable Entry Kits

Description

The SJC Closure is a splice closure that is used for track or branch applications.

It has 4 cable entry ports, a splice cassette for 24 splices and a cable management and storage area.

The closure is sealed to IP68 for water and dust tightness.

The closure is supplied with four knock-out ports and two entry glands.

Up to two additional entry glands can be ordered separately.

Features and Benefits

- A compact closure for track and branch applications.
- Closure has four knock out ports.

- Each port accommodates a cable gland for cables 5-9mm or 6-12mm.
- Closure is supplied with two glands. Additional glands are available separately.
- Contains a single splice tray for up to 24 splices. • Splice tray accommodates 2.2mm splice protectors.
- Cable management plate to secure cables and route fibres.
- Robust construction enabling direct buried applications.
- Can be used underground or can be mounted to a wall.
- Sealed to IP68 at 5m and UV resistant to ISO 4892. • Gland available for double entry – 8 entries in total for 4-6mm cables.

The SJC is supplied with: 1 x Base, 1 x Cover, 1 x O Seal, 1 x Splice Tray, 1 x Cable Management Plate 02 x Cable Entry Kits