

Brother P-Touch E300VP Handheld Printer Label Kit

Product Images

Product Code: C92-5102



Short Description

In electrical and datacom installations, clear, robust labelling is crucial – and the P-Touch PT-E300VP with carry case has been designed to make the process easier than ever before.

It's a durably engineered machine with a rechargeable battery and AC adapter that makes printing labels from 3.5 to 18mm wide simple. And it's also compatible with high-grade and self-laminating tapes, as well as heat-shrink tubes.

The PT-E300VP come pre-loaded with 384 commonly used symbols, along with 9 barcode protocols, all easily accessed via a PC-style keyboard and large backlit LCD screen.

And as the label material is laminated and rigorously tested against all crucial degrading effects, you can be sure your vital information will remain clear and professional-looking for years to come.

Features

- Prints hard-wearing labels up to 18mm wide
- Up to 20mm per second print speed + 5 lines of print
- QWERTY style keyboard + 15 character, 2-line, backlit LCD screen
- Time and date printing function, 168 electrical and audio/visual specific symbols
- Convenient manual cutter with pause function
- Comes with carry case, wrist strap and rechargeable Li-ion battery pack

Specifications

General

AC adaptor Yes

Machine type Handheld

Maximum tape width (mm) 18 mm

Usage type Industrial

Alkaline batteries 6 x AA (LR6/HR6)

Auto power off Yes

Battery BA-E001 Lithium-ion

Cutter type Full

Display Backlit LCD

Display size 15 characters x 3 line graphic - 67mm x 40mm

Housing colour Orange and black

Housing design Handheld

Keyboard type QWERTY

Li-Ion rechargeable battery Yes

Memory locations 50

Number of keys 64

Technology Thermal transfer

Unit setting (mm / inches) Yes

Languages English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish,

Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazilian Portuguese

General Supplies

Width 3.5, 6, 9, 12, 18mm

Type TZe Tape

Battery type Lithium-ion

Dimensions & weights

Dimensions 133 (W) x 220 (H) x 74 (D)

Weight 0.740 kg

In the box

AC adaptor Yes

AC adaptor power cord Yes

Carry case Yes

Li-ion battery Yes

Supplies 18mm black on yellow strong adhesive laminated label cassette (8m)

User guide Yes

Warranty card Yes

Wrist strap Yes

Label design

Fonts 7

Frames 7

Symbols 384

Text alignment Centre, Justify, Left, Right

Underline Yes

Vertical printing Yes

Pre-defined label layouts

Cable marking function Yes

Label design software

Copies 1 - 50

Fonts 7

Frames 7

Label orientations Horizontal, Vertical

Labelling wizard Cable

Sequential numbering Yes

Text alignment Centre, Left

Languages English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazilian Portuguese

Supplies and accessories

Tape cassettes TZe

Tape widths 3.5, 6, 9, 12, 18mm

Direct printing/scanning

Barcode scanner compatibility CODE39, CODE128, EAN13, EAN8, ITF 2/5, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128)

Description

In electrical and datacom installations, clear, robust labelling is crucial – and the P-Touch PT-E300VP with carry case has been designed to make the process easier than ever before.

It's a durably engineered machine with a rechargeable battery and AC adapter that makes printing labels from 3.5 to 18mm wide simple. And it's also compatible with high-grade and self-laminating tapes, as well as heat-shrink tubes.

The PT-E300VP come pre-loaded with 384 commonly used symbols, along with 9 barcode protocols, all easily accessed via a PC-style keyboard and large backlit LCD screen.

And as the label material is laminated and rigorously tested against all crucial degrading effects, you can be sure your vital information will remain clear and professional-looking for years to come.

Features

- Prints hard-wearing labels up to 18mm wide
- Up to 20mm per second print speed + 5 lines of print
- QWERTY style keyboard + 15 character, 2-line, backlit LCD screen
- Time and date printing function, 168 electrical and audio/visual specific symbols
- Convenient manual cutter with pause function
- Comes with carry case, wrist strap and rechargeable Li-ion battery pack

Specifications

General

AC adaptor Yes

Machine type Handheld

Maximum tape width (mm) 18 mm

Usage type Industrial

Alkaline batteries 6 x AA (LR6/HR6)

Auto power off Yes

Battery BA-E001 Lithium-ion

Cutter type Full

Display Backlit LCD

Display size 15 characters x 3 line graphic - 67mm x 40mm

Housing colour Orange and black

Housing design Handheld

Keyboard type QWERTY

Li-Ion rechargeable battery Yes

Memory locations 50

Number of keys 64

Technology Thermal transfer

Unit setting (mm / inches) Yes

Languages English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazilian Portuguese

General Supplies

Width 3.5, 6, 9, 12, 18mm

Type TZe Tape

Battery type Lithium-ion

Dimensions & weights

Dimensions 133 (W) x 220 (H) x 74 (D)

Weight 0.740 kg

In the box

AC adaptor Yes

AC adaptor power cord Yes

Carry case Yes

Li-ion battery Yes

Supplies 18mm black on yellow strong adhesive laminated label cassette (8m)

User guide Yes

Warranty card Yes

Wrist strap Yes

Label design

Fonts 7

Frames 7

Symbols 384

Text alignment Centre, Justify, Left, Right

Underline Yes

Vertical printing Yes

Pre-defined label layouts

Cable marking function Yes

Label design software

Copies 1 - 50

Fonts 7

Frames 7

Label orientations Horizontal, Vertical

Labelling wizard Cable

Sequential numbering Yes

Text alignment Centre, Left

Languages English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazilian Portuguese

Supplies and accessories

Tape cassettes TZe

Tape widths 3.5, 6, 9, 12, 18mm

Direct printing/scanning

Barcode scanner compatibility CODE39, CODE128, EAN13, EAN8, ITF 2/5, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128)