

Sumitomo T-72M12 Ribbon Splicer Kit With Fibre Holders, Thermal Stripper & Cleaver

Product Images

Product Code: T-72M12-FULL KIT



Short Description

The Sumitomo Type-72M12 has the industry's only dual independent heaters and Auto Clamping Adjustment System "ACAS"

Compact, Lightweight & Faster

2.1kg with battery for 180 splice & heat cycles

Faster 11s splice in SM Quick Mode

Reduced 35s heat shrink time

Dual ovens with flexible clamps

Independent Fast-heating 35s

Productive

Programmable

User selectable clamp operation

Auto Clamping Adjustment System "Active-ACAS"

Patented key technology for excellent loss performance

Clamp pressure can be automatically optimized and fibre offset is corrected

High Environmental Durability

IPx2 water resistance

IP5x dust resistance

Splice at 50°C

Work at 3660m

76cm drop on 5 faces

Brand-new touch panel and UI

Wide and high resolution touch panel -5" touch screen colour LCD display

Smartphone-like easy operation

Wireless LAN connectivity to SumiCloud™

SumiCloud™ smartphone App. to support splicing job

WLS card brings SumiCloud™ services to your splicer via our smartphone App.

Kit comprises:

- 1x T-72M12 Fusion Splicer
- 1x BU-16
- 1x PC-AC3 Power Cord
- 1x ADC-16 Power Supply module
- 1x T-39_SCT Cooling Tray
- 1x Hand Strap
- 1x Pair of ER-10 Spare Electrodes
- 1x Quick Reference Guide
- 1x CC-72 Carrying Case (MKII)
- 1x Shoulder strap for CC-71
- 1x USB cable (L=1.0M)
- 1x Important safety precautions
- 1x WLSD-0416 card
- 1 x Lead/AC/IEC_C13-UK/3_Amp/PC-AC
- 1 x Fibre Holders/FHS-025/Moulded
- 1 x Fibre Holders/FHS-09/Moulded
- 1 x Fibre holders/FHM-12V - For use with standard encapsulated ribbons and pliable ribbons
- 1 x Cleaver/FC-6RM-C
- 1 x Jacket Remover/Heated/JR-6+/Kit
- 1 x Lead/DC Vehicle Power/PC-V16/T-57 & T-72
- 1 x Lead/AC/IEC_C7-UK/3_Amp
- 1 x Fibre Arrangement Tool/OFA-01/Semi-hardcase
- 1 x Brush/V-Groove Cleaning/VGT-2

Description

The Sumitomo Type-72M12 has the industry's only dual independent heaters and Auto Clamping Adjustment System "ACAS"

Compact, Lightweight & Faster

2.1kg with battery for 180 splice & heat cycles

Faster 11s splice in SM Quick Mode

Reduced 35s heat shrink time

Dual ovens with flexible clamps

Independent Fast-heating 35s

Productive

Programmable

User selectable clamp operation

Auto Clamping Adjustment System “Active-ACAS”

Patented key technology for excellent loss performance

Clamp pressure can be automatically optimized and fibre offset is corrected

High Environmental Durability

IPx2 water resistance

IP5x dust resistance

Splice at 50°C

Work at 3660m

76cm drop on 5 faces

Brand-new touch panel and UI

Wide and high resolution touch panel -5" touch screen colour LCD display

Smartphone-like easy operation

Wireless LAN connectivity to SumiCloud™

SumiCloud™ smartphone App. to support splicing job

WLS card brings SumiCloud™ services to your splicer via our smartphone App.

Kit comprises:

1x T-72M12 Fusion Splicer

1x BU-16

1x PC-AC3 Power Cord

1x ADC-16 Power Supply module

1x T-39_SCT Cooling Tray

1x Hand Strap

1x Pair of ER-10 Spare Electrodes

1x Quick Reference Guide

1x CC-72 Carrying Case (MKII)

1x Shoulder strap for CC-71

1x USB cable (L=1.0M)

1x Important safety precautions

1x WLS-0416 card

1 x Lead/AC/IEC_C13-UK/3_Amp/PC-AC

1 x Fibre Holders/FHS-025/Moulded

1 x Fibre Holders/FHS-09/Moulded

1 x Fibre holders/FHM-12V - For use with standard encapsulated ribbons and pliable ribbons

1 x Cleaver/FC-6RM-C

- 1 x Jacket Remover/Heated/JR-6+/Kit
- 1 x Lead/DC Vehicle Power/PC-V16/T-57 & T-72
- 1 x Lead/AC/IEC_C7-UK/3_Amp
- 1 x Fibre Arrangement Tool/OFA-01/Semi-hardcase
- 1 x Brush/V-Groove Cleaning/VGT-2