


# Linian NanoClip for Fibre Optic Cables Black 3mm Pk100

Product Images

Product Code: R02-1433



## Short Description

The NanoClip™ is a fire-safe, 18th Edition compliant cable clip designed to fit 2mm and 3mm Fibre Optic

cables, hearing loop cables and other small diameter cables.

The NanoClip™ is suitable for domestic, commercial, and industrial use and ideal for any installation where a faster, safer, simpler... and smaller solution is needed. Approved by major companies in the fibre cable installation industry.

LINIAN NanoClip™ (100 Pack) is suitable for:

Fibre Cables and all other small diameter cables  
Hearing Loop cables  
Small signal cables  
CCTV cables and alarm cables

NanoClip™ Features

18th Edition compliant cable clip  
Secure, single-component design  
Quick & easy installation  
No plastic  
Melt point >1200°C  
No plugs, screws or washers needed  
Corrosion-Resistant, UV Stable Coating  
Suitable for indoor or outdoor use  
Discreet and barely visible  
Made in Britain

To suit 3mm cable diameters  
Recommended spacing: 300mm  
Hole Diameter\* 3mm  
Hole depth: 16mm

\*Varies for best fixing according to the substrate.

## Description

---

The NanoClip™ is a fire-safe, 18th Edition compliant cable clip designed to fit 2mm and 3mm Fibre Optic cables, hearing loop cables and other small diameter cables.

The NanoClip™ is suitable for domestic, commercial, and industrial use and ideal for any installation where a faster, safer, simpler... and smaller solution is needed. Approved by major companies in the fibre cable installation industry.

LINIAN NanoClip™ (100 Pack) is suitable for:

Fibre Cables and all other small diameter cables

2

Hearing Loop cables  
Small signal cables  
CCTV cables and alarm cables

#### NanoClip™ Features

18th Edition compliant cable clip  
Secure, single-component design  
Quick & easy installation  
No plastic  
Melt point >1200°C  
No plugs, screws or washers needed  
Corrosion-Resistant, UV Stable Coating  
Suitable for indoor or outdoor use  
Discreet and barely visible  
Made in Britain

To suit 3mm cable diameters  
Recommended spacing: 300mm  
Hole Diameter\* 3mm  
Hole depth: 16mm

\*Varies for best fixing according to the substrate.