

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU


Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Linian NanoClip for Fibre Optic Cables Black 2mm Pk100

Product Images Product Code: R02-1432





Short Description

The NanoClip™ is a fire-safe, 18th Edition compliant cable clip designed to fit 2mm and 3mm Fibre Optic

cables, hearing loop cables and other small diameter cables.

The NanoClip™ is suitable for domestic, commercial, and industrial use and ideal for any installation where a faster, safer, simpler... and smaller solution is needed. Approved by major companies in the fibre cable installation industry.

LINIAN NanoClip™ (100 Pack) is suitable for:

Fibre Cables and all other small diameter cables Hearing Loop cables Small signal cables CCTV cables and alarm cables

NanoClip™ Features

18th Edition compliant cable clip
Secure, single-component design
Quick & easy installation
No plastic
Melt point >1200°C
No plugs, screws or washers needed
Corrosion-Resistant, UV Stable Coating
Suitable for indoor or outdoor use
Discreet and barely visible
Made in Britain

To suit 2mm cable diameters Recommended spacing: 300mm Hole Diameter* 3mm Hole depth: 16mm

Description

The NanoClip™ is a fire-safe, 18th Edition compliant cable clip designed to fit 2mm and 3mm Fibre Optic cables, hearing loop cables and other small diameter cables.

The NanoClip™ is suitable for domestic, commercial, and industrial use and ideal for any installation where a faster, safer, simpler... and smaller solution is needed. Approved by major companies in the fibre cable installation industry.

LINIAN NanoClip™ (100 Pack) is suitable for:

Fibre Cables and all other small diameter cables Hearing Loop cables

Small signal cables

^{*}Varies for best fixing according to the substrate.

CCTV cables and alarm cables

NanoClip™ Features

18th Edition compliant cable clip
Secure, single-component design
Quick & easy installation
No plastic
Melt point >1200°C
No plugs, screws or washers needed
Corrosion-Resistant, UV Stable Coating
Suitable for indoor or outdoor use
Discreet and barely visible
Made in Britain

To suit 2mm cable diameters Recommended spacing: 300mm Hole Diameter* 3mm Hole depth: 16mm

*Varies for best fixing according to the substrate.