

# Linian RG59 Coaxial Cable Clip Black Pk100

**Product Images**

**Product Code: R02-1427**



## Short Description

---

Linian's Coaxial Clip™ range includes the RG59 Coaxial (Shotgun) Cable Clip which is designed to make the installation of RG59 coaxial cabling faster, safer and simpler.

RG59 coaxial 'Shotgun' cable is commonly used for CCTV installation and allows the installer to send power and a video signal down just the one cable, saving installation time and money by fitting a single cable rather than two.

Linian RG59 Coaxial Cable Clips provide a neat, easy and versatile substitute for plastic cleats and saddle clips and eradicate the need for screws, plugs and plastic, saving the installer even further installation time. 18th-Edition compliant and suitable for indoor and outdoor use.

All Linian clips are designed to provide a lasting fix, however, if a design change is required, the clips can be simply removed with a set of carpenters pincers.

Available Colours: Black/White

To suit overall cable diameter 13mm x 4mm

Recommended spacing: 300mm

Hole Diameter\* 6mm

Hole depth: 30mm

Supports a max tensile load of 24kg

18th Edition Compliant

Fire-resistant >1000°C

\*Varies for best fixing according to the substrate.

Supplied in a pack of 100

## Description

---

Linian's Coaxial Clip™ range includes the RG59 Coaxial (Shotgun) Cable Clip which is designed to make the installation of RG59 coaxial cabling faster, safer and simpler.

RG59 coaxial 'Shotgun' cable is commonly used for CCTV installation and allows the installer to send power and a video signal down just the one cable, saving installation time and money by fitting a single cable rather than two.

Linian RG59 Coaxial Cable Clips provide a neat, easy and versatile substitute for plastic cleats and saddle clips and eradicate the need for screws, plugs and plastic, saving the installer even further installation time. 18th-Edition compliant and suitable for indoor and outdoor use.

All Linian clips are designed to provide a lasting fix, however, if a design change is required, the clips can be simply removed with a set of carpenters pincers.

Available Colours: Black/White

To suit overall cable diameter 13mm x 4mm

Recommended spacing: 300mm

Hole Diameter\* 6mm

Hole depth: 30mm

Supports a max tensile load of 24kg

18th Edition Compliant

Fire-resistant >1000°C

\*Varies for best fixing according to the substrate.

Supplied in a pack of 100