



Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge
UB8 2GU


Contact us on:
Tel: 020 8833 2626
Fax: 020 8833 2600
Email: sales@millsltd.com

Company No. 00282704
VAT No. 227082574

Linian T&E Clip Grey 2.5mm Pk100

Product Images

Product Code: R02-1425



Short Description

Linian T&E Clips are designed specifically for twin, cpc cabling and PVC trunking. Suitable for all substrates, they provide a robust fixing designed to support an impressive tensile load of 24kg.

With T&E Clips, the installer can anchor fixings for wire safely and form a bend in the cable without having to remove the cable clip to do so. T&E Clips also provide a neat, easy and versatile substitute and

<https://www.millsltd.com/default/linian-t-e-clip-grey-2-5mm-pk100.html>

02/05/2024

eradicate the need for screws, plugs and plastic.

All Linian products are fire-rated, tested in temperatures up to 1200° and will not melt like traditional methods.

T&E Clips are designed to provide a lasting fix, however, if a design change is required, the clips can be simply removed with a set of pincers.

These Twin & Earth Clips™ are ideal for:

- Twin, cpc cabling and PVC trunking
- Anchor fixings for wire etc

Product Specifications:

- Available Colours: White/Grey
- Recommended spacing: 300mm
- Hole Diameter* 6mm
- Hole depth: 30mm
- Supports a max tensile load of 24kg
- Corrosion Resistant – UV Stable
- 18th Edition Compliant
- Fire-resistant >1000°C

Available to suit cable diameters:

- 7mm x 4mm (1mm T&E Clip)
- 9mm x 5mm (1.5mm T&E Clip)
- **10mm x 5mm (2.5mm T&E Clip)**
- 13mm x 6mm (4mm T&E Clip)
- 14mm x 7mm (6mm T&E Clip)
- 18mm x 9mm (10mm T&E Clip)

**Varies for best fixing according to the substrate.*

Supplied in a pack of 100

Description

they provide a robust fixing designed to support an impressive tensile load of 24kg.

With T&E Clips, the installer can anchor fixings for wire safely and form a bend in the cable without having to remove the cable clip to do so. T&E Clips also provide a neat, easy and versatile substitute and eradicate the need for screws, plugs and plastic.

All Linian products are fire-rated, tested in temperatures up to 1200° and will not melt like traditional methods.

T&E Clips are designed to provide a lasting fix, however, if a design change is required, the clips can be simply removed with a set of pincers.

These Twin & Earth Clips™ are ideal for:

- Twin, cpc cabling and PVC trunking
- Anchor fixings for wire etc

Product Specifications:

- Available Colours: White/Grey
- Recommended spacing: 300mm
- Hole Diameter* 6mm
- Hole depth: 30mm
- Supports a max tensile load of 24kg
- Corrosion Resistant – UV Stable
- 18th Edition Compliant
- Fire-resistant >1000°C

Available to suit cable diameters:

- 7mm x 4mm (1mm T&E Clip)
- 9mm x 5mm (1.5mm T&E Clip)
- **10mm x 5mm (2.5mm T&E Clip)**
- 13mm x 6mm (4mm T&E Clip)
- 14mm x 7mm (6mm T&E Clip)
- 18mm x 9mm (10mm T&E Clip)

**Varies for best fixing according to the substrate.*

Supplied in a pack of 100