


Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Bosch GKS 18 V-57 G 165mm Circular Saw Body Only in L-Boxx

Product Images

Product Code: P09-5002





Short Description

The GKS 18V-57G offers a 57mm maximum depth of cut at 90°. This model includes an upgraded baseplate, which means this tool is compatible with the Bosch FSN Guiderail system for a more accurate job.

Features

Performance – a fast sawing rate and long runtime thanks to powerful motor and 5.0 Ah batteries (sold separately)

Robust design – developed for every type of application on the jobsite, even on a roof or scaffold

Base plate also compatible with other common guide rail systems

Specifications

Voltage: 18v No-load Speed: 3,400 rpm Saw Blade Diameter: 165 mm Saw Blade Bore Diameter: 20 mm Cutting Depth (90°): 57 mm Cutting Depth (45°): 42 mm Weight (Inc Battery): 4.1 Kg FSN Guiderail Compatible: Yes

Noise and Vibration

Sound Pressure Level: 80 dB(A) Sound Power Level: 91 dB(A) Uncertainty K: 3 dB

Contents

1x GKS 18V-57G Circular Saw Body Only1x Standard for Wood Saw Blade1x Dust Extraction Adapter

1x Internal Hexagon 1x Parallel Guide 1x L-Boxx Inlay 1x L-Boxx 238 Carry Case

Batteries and charger sold separately.

Description

The GKS 18V-57G offers a 57mm maximum depth of cut at 90°. This model includes an upgraded baseplate, which means this tool is compatible with the Bosch FSN Guiderail system for a more accurate job.

<u>Features</u>

Performance – a fast sawing rate and long runtime thanks to powerful motor and 5.0 Ah batteries (sold separately)

Robust design – developed for every type of application on the jobsite, even on a roof or scaffold

Base plate also compatible with other common guide rail systems

Specifications

Voltage: 18v No-load Speed: 3,400 rpm Saw Blade Diameter: 165 mm Saw Blade Bore Diameter: 20 mm Cutting Depth (90°): 57 mm Cutting Depth (45°): 42 mm Weight (Inc Battery): 4.1 Kg FSN Guiderail Compatible: Yes

Noise and Vibration

Sound Pressure Level: 80 dB(A) Sound Power Level: 91 dB(A) Uncertainty K: 3 dB

<u>Contents</u>

1x GKS 18V-57G Circular Saw Body Only
1x Standard for Wood Saw Blade
1x Dust Extraction Adapter
1x Internal Hexagon
1x Parallel Guide
1x L-Boxx Inlay
1x L-Boxx 238 Carry Case

Batteries and charger sold separately.