

# Supertex 5/6 Coverall XXL

## Product Images

Product Code: S99-1093



Size Chart:

Measurements in cm	S	M	L	XL	2XL	3XL	4XL
5' 11" (160)	5' 7" (145)	5' 9" (150)	5' 11" (155)	6' 1" (180)	6' 3" (188)	6' 5" (193)	6' 7" (198)

## Short Description

Durable, breathable and comfortable, our Supertex® Coverall offers ultimate head to toe protection. These coveralls protect against dust particles, low risk chemical splash and protection of barrier to radioactive particulates.

Made of soft lightweight material with a microporous lamination finish. They are suitable for asbestos

removal, insulating, paint spraying, hygiene rules, use with low risk chemicals, horticulture, farming and general building work.

Cat III Complex Design

Type 5- EN 13982-1 Protection against airborne solid particles

Type 6 - EN 13034- Protection against low risk chemical splash

EN 1073-2 - Class 1 Protection of barrier to radioactive particulates

EN 1149 Anti-Static

Protects against dust particles

Lint Free

Breathable

Zip with zip guard

Elasticated wrist/ankle closure

Elasticated 3 panel hood design

Individually wrapped

Applications:

Suitable for Asbestos related work, insulating, hygiene rules, clean rooms, liquid chemicals (low hazard), electronic assembly, paint spraying, horticulture, farming & general building work.

PE Regulation (EU) 2016/425

EN 13982-1 Type 5 Protection

EN 13034 Type 6 Protection

EN 1073-2 Class 1

EN 1149 Anti-Static

Note: When working with asbestos removal activity suitable PPE must be worn at all times.

## Description

---

Durable, breathable and comfortable, our Supertex® Coverall offers ultimate head to toe protection. These coveralls protect against dust particles, low risk chemical splash and protection of barrier to radioactive particulates.

Made of soft lightweight material with a microporous lamination finish. They are suitable for asbestos removal, insulating, paint spraying, hygiene rules, use with low risk chemicals, horticulture, farming and general building work.

Cat III Complex Design

Type 5- EN 13982-1 Protection against airborne solid particles

Type 6 - EN 13034- Protection against low risk chemical splash

EN 1073-2 - Class 1 Protection of barrier to radioactive particulates

EN 1149 Anti-Static

Protects against dust particles

Lint Free

Breathable

Zip with zip guard  
Elasticated wrist/ankle closure  
Elasticated 3 panel hood design  
Individually wrapped

Applications:

Suitable for Asbestos related work, insulating, hygiene rules, clean rooms, liquid chemicals (low hazard), electronic assembly, paint spraying, horticulture, farming & general building work.

PE Regulation (EU) 2016/425  
EN 13982-1 Type 5 Protection  
EN 13034 Type 6 Protection  
EN 1073-2 Class 1  
EN 1149 Anti-Static

Note: When working with asbestos removal activity suitable PPE must be worn at all times.