



Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge
UB8 2GU

Contact us on:
Tel: 020 8833 2626
Fax: 020 8833 2600
Email: sales@millsltd.com

Company No. 00282704
VAT No. 227082574

Supertex 5/6 Coverall Large

Product Images

Product Code: S99-1092



Size Chart

| Measurements in cm | S | M | L | XL | 2XL | 3XL | 4XL |
|--------------------|-------|--------|---------|---------|---------|---------|---------|
| 35-41 (M) | 82-90 | 90-100 | 100-110 | 110-122 | 120-130 | 130-140 | 140-152 |

Short Description

Durable, breathable and comfortable, our Supertex® Coverall offers ultimate head to toe protection. These coveralls protect against dust particles, low risk chemical splash and protection of barrier to radioactive particulates.

Made of soft lightweight material with a microporous lamination finish. They are suitable for asbestos

removal, insulating, paint spraying, hygiene rules, use with low risk chemicals, horticulture, farming and general building work.

Cat III Complex Design

Type 5- EN 13982-1 Protection against airborne solid particles

Type 6 - EN 13034- Protection against low risk chemical splash

EN 1073-2 - Class 1 Protection of barrier to radioactive particulates

EN 1149 Anti-Static

Protects against dust particles

Lint Free

Breathable

Zip with zip guard

Elasticated wrist/ankle closure

Elasticated 3 panel hood design

Individually wrapped

Applications:

Suitable for Asbestos related work, insulating, hygiene rules, clean rooms, liquid chemicals (low hazard), electronic assembly, paint spraying, horticulture, farming & general building work.

PE Regulation (EU) 2016/425

EN 13982-1 Type 5 Protection

EN 13034 Type 6 Protection

EN 1073-2 Class 1

EN 1149 Anti-Static

Note: When working with asbestos removal activity suitable PPE must be worn at all times.

Description

Durable, breathable and comfortable, our Supertex® Coverall offers ultimate head to toe protection. These coveralls protect against dust particles, low risk chemical splash and protection of barrier to radioactive particulates.

Made of soft lightweight material with a microporous lamination finish. They are suitable for asbestos removal, insulating, paint spraying, hygiene rules, use with low risk chemicals, horticulture, farming and general building work.

Cat III Complex Design

Type 5- EN 13982-1 Protection against airborne solid particles

Type 6 - EN 13034- Protection against low risk chemical splash

EN 1073-2 - Class 1 Protection of barrier to radioactive particulates

EN 1149 Anti-Static

Protects against dust particles

Lint Free

Breathable

2

<https://www.millsLtd.com/default/supertex-5-6-coverall-large.html>

26/04/2024

Zip with zip guard
Elasticated wrist/ankle closure
Elasticated 3 panel hood design
Individually wrapped

Applications:

Suitable for Asbestos related work, insulating, hygiene rules, clean rooms, liquid chemicals (low hazard), electronic assembly, paint spraying, horticulture, farming & general building work.

PE Regulation (EU) 2016/425
EN 13982-1 Type 5 Protection
EN 13034 Type 6 Protection
EN 1073-2 Class 1
EN 1149 Anti-Static

Note: When working with asbestos removal activity suitable PPE must be worn at all times.