

Bosch GWS-18V-7 18v Cordless Angle Grinder 115mm Body Only in L-Boxx

Product Images

Product Code: P09-5000





Short Description

The GWS 18V-7 Professional 4.1/2 inch cordless angle grinder offers the convenient combination of solid 18 V cutting performance and compact design.

Thanks to its strong brushless motor that delivers the equal of 700 W from a corded angle grinder, users have all the power in their hands that's necessary to achieve excellent cutting results.

Its light weight, the slim grip size, and the keyless guard ensure convenient and comfortable working.

Optimised for versatile cutting, this angle grinder's perfect ergonomics are safeguarded by its balanced design and the slim handle.

This angle grinder is the ideal helper for all cutting tasks in metal, tiles, or bricks and is compatible with all Bosch Professional 18 V batteries and chargers as well as the GDE 125 EA-T dust extraction from Bosch.

Specifications

No-load speed 11,000 rpm

Battery voltage 18 V

Grinding spindle thread M14

Bore size, diameter 22.23 mm

Weight excl. battery 1.6 kg

Total vibration values (Surface grinding (roughing))

Vibration emission value ah 7 m/s²

Uncertainty K 1.5 m/s²

Total vibration values (Sanding with sanding sheet)

Vibration emission value ah 3.5 m/s²
Uncertainty K 1.5 m/s²

Noise/vibration information

Sound pressure level 79.5 dB(A)
Sound power level 90.5 dB(A)
Uncertainty K 3 dB

Includes

Backing flange 1 605 703 099
Locking nut 1 603 340 040
Two-hole spanner 1 607 950 043
Protective guard 2 608 000 677
Auxiliary handle 1 602 025 024
L-BOXX 136 1 600 A01 2G0
1/1 L-BOXX inlay 1 600 A02 2ZN

Description

The GWS 18V-7 Professional 4.1/2 inch cordless angle grinder offers the convenient combination of solid 18 V cutting performance and compact design.

Thanks to its strong brushless motor that delivers the equal of 700 W from a corded angle grinder, users have all the power in their hands that's necessary to achieve excellent cutting results.

Its light weight, the slim grip size, and the keyless guard ensure convenient and comfortable working.

Optimised for versatile cutting, this angle grinder's perfect ergonomics are safeguarded by its balanced design and the slim handle.

This angle grinder is the ideal helper for all cutting tasks in metal, tiles, or bricks and is compatible with all Bosch Professional 18 V batteries and chargers as well as the GDE 125 EA-T dust extraction from Bosch.

Specifications

No-load speed 11,000 rpm
Battery voltage 18 V
Grinding spindle thread M14
Bore size, diameter 22.23 mm
Weight excl. battery 1.6 kg

Total vibration values (Surface grinding (roughing))

Vibration emission value ah 7 m/s²
Uncertainty K 1.5 m/s²

3

Total vibration values (Sanding with sanding sheet)

Vibration emission value ah 3.5 m/s²

Uncertainty K 1.5 m/s²

Noise/vibration information

Sound pressure level 79.5 dB(A)

Sound power level 90.5 dB(A)

Uncertainty K 3 dB

Includes

Backing flange 1 605 703 099

Locking nut 1 603 340 040

Two-hole spanner 1 607 950 043

Protective guard 2 608 000 677

Auxiliary handle 1 602 025 024

L-BOXX 136 1 600 A01 2G0

1/1 L-BOXX inlay 1 600 A02 2ZN