

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626

Fax: 020 8833 2600 Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

HellermannTyton TT431 Thermal Transfer Printer

Product Images Product Code: C71-0420









Short Description

The TT431 thermal transfer printer is perfect for printing on HellermannTyton materials such as self-adhesive labels, shrinkable tubing and TipTag identification tags. Thanks to its low weight and compact construction, the TT431 integrates seamlessly into any workstation. It is easy to use due to its intuitive colour LCD touch display and clear status messages which can be shown in multiple languages.

Software for this printer is available under our part number C71-0421...see this product for more detail.

The optional cutter and perforator make this printer ideal for a wide range of applications. 300 dpi resolution ensures that barcodes, warning symbols, logos and text are as sharp as they can be.

Features

- Small to medium volume single sided printing
- Print on HellermannTyton cable markers and labels
- Uses standard ribbons
- Barcodes: standard and 2D
- Print speed up to 150 mm/s
- Adjustable label sensor
- Multiple language selection
- Windows drivers: 32/64 bit for Windows Vista, Windows 7, 8 and 10

Dimensions

L x H x W 322 mm x 187,5 mm x 253mm

<u>Labels</u>

Label Height Max 4000mm
Label Height Min 5mm
Label Width Max 105.7mm
Label Width Min 10mm
Label Width min - max 10 - 105.7 mm

Description

The TT431 thermal transfer printer is perfect for printing on HellermannTyton materials such as self-adhesive labels, shrinkable tubing and TipTag identification tags. Thanks to its low weight and compact construction, the TT431 integrates seamlessly into any workstation. It is easy to use due to its intuitive colour LCD touch display and clear status messages which can be shown in multiple languages.

Software for this printer is available under our part number C71-0421...see this product for more detail.

The optional cutter and perforator make this printer ideal for a wide range of applications. 300 dpi resolution ensures that barcodes, warning symbols, logos and text are as sharp as they can be.

Features

Small to medium volume single sided printing
Print on HellermannTyton cable markers and labels
Uses standard ribbons

Barcodes: standard and 2D Print speed up to 150 mm/s Adjustable label sensor

Multiple language selection

Windows drivers: 32/64 bit for Windows Vista, Windows 7, 8 and 10

Label Compatibility

Label Height Max 4000mm Label Height Min 5mm Label Width Max 105.7mm Label Width Min 10mm Label Width min - max 10 - 105.7 mm

Dimensions

L x H x W 322 mm x 187,5 mm x 253mm