

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Drum-Mate Junior

UB8 2GU

Product Images Product Code: S00-9772



Short Description

A compact, horizontal, stable and lightweight cable dispenser with patented braking system to allow controlled unreeling and reeling of most cable reels, typically up to 600mm (24") with a weight up to 190kg.

The Drum Mate Junior is supplied with both a 30mm and 50mm mandrel to suit most popular drum

spindle bores

The Drum Mate Junior is ideal for dispensing fibre, telco, satellite and CCTV cable and has a base

dimension of 250mm (10") and weighs just 1.1kg, making it easy to store in smaller size vans.

The dispenser has 5 rubber feet for stability and prevention of damage to floor surfaces.

Features

Patented Braking System for controlled dispensing of cable reels

Suitable for damaged cable drums

Supplied with both a 30mm and 50mm mandrel to suit most popular drum spindle bores

Rubber feet for stability and prevention of damage to floor covering

Maximum load up to 190 kg

Diameter: 250 mm

Weight: 1.1 kg

Made in Germany

Description

A compact, horizontal, stable and lightweight cable dispenser with patented braking system to allow controlled unreeling and reeling of most cable reels, typically up to 600mm (24") with a weight up to 190kg.

The Drum Mate Junior is supplied with both a 30mm and 50mm mandrel to suit most popular drum spindle bores

The Drum Mate Junior is ideal for dispensing fibre, telco, satellite and CCTV cable and has a base dimension of 250mm (10") and weighs just 1.1kg, making it easy to store in smaller size vans.

The dispenser has 5 rubber feet for stability and prevention of damage to floor surfaces.

Features

Patented Braking System for controlled dispensing of cable reels

Suitable for damaged cable drums

Supplied with both a 30mm and 50mm mandrel to suit most popular drum spindle bores

Rubber feet for stability and prevention of damage to floor covering

Maximum load up to 190 kg

Diameter: 250 mm

Weight: 1.1 kg

Made in Germany