



Easi-Dec Platform 2 Metre

Product Images

Product Code: S00-1010







A half-day training session at Easi-Dec's Bicester premises is included for up to 8 operatives

Short Description

The Easi-Dec mobile safe access work platform is the ideal access platform for work up to the roofline level, including fascia, soffit, and gutter work.

Designed with portability and ease of use in mind; the Easi-Dec mobile safe access work platform can be erected in under ten minutes, making it a fast, effective solution when scaffolding would be cost-prohibitive.

The standard 2m Easi-Dec mobile safe access work platform is built on the ground then raised to the required height via telescopic legs. The platform offers a safe, fully-compliant working platform which can span wall obstructions such as windows and porches safely.

Configurable

Need to expand your working area? Two or more Easi-Dec mobile safe access work platforms can be

combined using our Catwalk to form a daisy chain of safe work access platforms, compliant with the edge protection requirements set out in EN13374. This Roofline system offers limitless modular possibilities allowing work across entire buildings, and is available with a range of accessories including rolling window bars, stand-off and corner kits, and end support frames.

Portable

Forget leaving scaffolding up for weeks for one job. Every Easi-Dec mobile safe access work platform can be transported in either a transit van or on a roof rack thanks to their lightweight aluminium structure. The unique minimal-parts design and no-tools assembly feature means the platforms can be installed and ready to start work in minutes, minimising the time you spend on-site and the costs that come with it.

What's more, once the system is raised, it can be easily 'lifted and shifted' to another work area without disassembly.

The modular nature of the Easi-Dec work access platform allows total control over your platform. Alongside the standard legs, which offer a safe platform to work from up to 5.5m, Super Legs (4.5m-6.8m) as well as Bungalow Legs (2.34m-2.9m), and multiple other types for all heights are available.

Training

A half-day comprehensive and certificated training session in the safe use of the equipment at Easi-Dec's Bicester premises is included for up to 8 people.

Specifications

- Load rating: 300 kg uniformly distributed
- System weight: 75 kg
- Platform size: 2m wide x 800mm deep
- Material: H30 (6082T6) aluminium
- Standard legs providing a platform a height of 3.3m - 5.5m
- Please Note: The S00-0800 Rolling Window Bar is not included, but available as an optional extra.

Standards

EN 13374 Class C

EN 12811-1

Additional leg options

Super legs - Provides a platform height of 4.5m - 6.8m

16' legs - Provides a platform height of 3.0m - 4.75m

14' legs - Provides a platform height of 2.75m - 4.15m

9'5" Bungalow legs - Provides a platform height of 2.34m - 2.9m

Easi-Dec ref ED010001A

Carriage charges may apply dependent on region for delivery.

Our Sales department will advise before processing your order.

Description

The Easi-Dec mobile safe access work platform is the ideal access platform for work up to the roofline level, including fascia, soffit, and gutter work.

Designed with portability and ease of use in mind; the Easi-Dec mobile safe access work platform can be erected in under ten minutes, making it a fast, effective solution when scaffolding would be cost-prohibitive.

The standard 2m Easi-Dec mobile safe access work platform is built on the ground then raised to the required height via telescopic legs. The platform offers a safe, fully-compliant working platform which can span wall obstructions such as windows and porches safely.

Configurable

Need to expand your working area? Two or more Easi-Dec mobile safe access work platforms can be combined using our Catwalk to form a daisy chain of safe work access platforms, compliant with the edge protection requirements set out in EN13374. This Roofline system offers limitless modular possibilities allowing work across entire buildings, and is available with a range of accessories including rolling window bars, stand-off and corner kits, and end support frames.

Portable

Forget leaving scaffolding up for weeks for one job. Every Easi-Dec mobile safe access work platform can be transported in either a transit van or on a roof rack thanks to their lightweight aluminium structure. The unique minimal-parts design and no-tools assembly feature means the platforms can be installed and ready to start work in minutes, minimising the time you spend on-site and the costs that come with it.

What's more, once the system is raised, it can be easily 'lifted and shifted' to another work area without disassembly.

The modular nature of the Easi-Dec work access platform allows total control over your platform. Alongside the standard legs, which offer a safe platform to work from up to 5.5m, Super Legs (4.5m-6.8m) as well as Bungalow Legs (2.34m-2.9m), and multiple other types for all heights are available.

Training

A half-day comprehensive and certificated training session in the safe use of the equipment at Easi-Dec's Bicester premises is included for up to 8 people.

Specifications

Load rating: 300 kg uniformly distributed

System weight: 75 kg

Platform size: 2m wide x 800mm deep

Material: H30 (6082T6) aluminium

Standard legs providing a platform a height of 3.3m - 5.5m

Please Note: The S00-0800 Rolling Window Bar is not included, but available as an optional extra.

Standards

EN 13374 Class C

EN 12811-1

Additional leg options

Super legs - Provides a platform height of 4.5m - 6.8m

16' legs - Provides a platform height of 3.0m - 4.75m

14' legs - Provides a platform height of 2.75m - 4.15m

9'5" Bungalow legs - Provides a platform height of 2.34m - 2.9m

Easi-Dec ref ED010001A

Carriage charges may apply dependent on region for delivery.

Our Sales department will advise before processing your order.