

Easi-Dec Solar Access System 10 Metre Platform

Product Images

Product Code: S00-0811





**2M EASI-DEC
ASSEMBLY**

HOW LONG DOES
IT TAKE?





Short Description

The Easi-Dec solar panel mobile safe access work platform has been designed in partnership with the solar industry and is part of the Easi-Dec Solar Access™ system, the most effective solution for installing and maintaining solar panels.

Assembled within minutes, the Solar Access™ System makes installing and maintaining solar panels quick, safe and easy; offering a safe stable working platform up to roof level combined with certified edge protection and specialised winch and hatch, allowing panels to be lifted safely to the roof for installation.

The Solar Access™ platform, like all Easi-Dec access platforms, feature a minimal-parts, zero-tools design which allows it to be quickly assembled on the ground in minutes, then raised up to the roofline level on telescopic, independently adjustable legs.

Configurable

This Solar Line access system provides an 10 metre wide working space, but if you need more room to manoeuvre, the system is modular and extendable to provide a larger work area across the front of the building. Simply combine more mobile safe access platforms together using the Catwalk to form a limitless working platform scaffolding alternative for solar work.

Features

Assembled within minutes, the Solar Access System provides a safe working platform combined with certified edge protection at roof level.

This system comprises one S00-1012 Solar-Dec Platform, one S00-1010 Easi-Dec platform and a 6 metre Catwalk which provides a 10m long working area.

Additional "Decs" and Catwalks can be added to provide a limitless modular system.

The Solar Access System also includes 2 rolling window bars, strap operated legs and a purpose designed hoist for lifting solar panels to roof level.

Training

A half-day comprehensive and certificated training session in the safe use of the equipment at Easi-Dec's Bicester premises is included for up to 8 people.

Specifications

- Load rating: 600 kg uniformly distributed
- System weight: 258 kg
- System lifting capacity: 75kg
- Material: H30 (6082T6) aluminium
- Standard legs supplied provide a platform a height of 3.3m - 5.5m

Additional leg options

- Super legs - for a 4.5m - 6.8m platform height
- 16' legs - for a 3m - 4.76m platform height
- 14' legs - for a 2.75m - 4.15m platform height
- 9'5" bungalow legs - for a 2.34m - 2.9m platform height

Standards

- EN 13374 Class C
- EN 12811-1

Easi-Dec Ref ED030106A

Carriage charges may apply dependent on region for delivery.

Our Sales department will advise before processing your order.

Description

The Easi-Dec solar panel mobile safe access work platform has been designed in partnership with the solar industry and is part of the Easi-Dec Solar Access™ system, the most effective solution for installing and maintaining solar panels.

Assembled within minutes, the Solar Access™ System makes installing and maintaining solar panels quick, safe and easy; offering a safe stable working platform up to roof level combined with certified edge protection and specialised winch and hatch, allowing panels to be lifted safely to the roof for installation.

The Solar Access™ platform, like all Easi-Dec access platforms, feature a minimal-parts, zero-tools design which allows it to be quickly assembled on the ground in minutes, then raised up to the roofline level on telescopic, independently adjustable legs.

Configurable

This Solar Line access system provides an 10 metre wide working space, but if you need more room to manoeuvre, the system is modular and extendable to provide a larger work area across the front of the building. Simply combine more mobile safe access platforms together using the Catwalk to form a limitless working platform scaffolding alternative for solar work.

Features

Assembled within minutes, the Solar Access System provides a safe working platform combined with certified edge protection at roof level.

This system comprises one S00-1012 Solar-Dec Platform, one S00-1010 Easi-Dec platform and a 6 metre Catwalk which provides a 10m long working area.

Additional "Decs" and Catwalks can be added to provide a limitless modular system.

The Solar Access System also includes 2 rolling window bars, strap operated legs and a purpose designed hoist for lifting solar panels to roof level.

Training

A half-day comprehensive and certificated training session in the safe use of the equipment at Easi-Dec's Bicester premises is included for up to 8 people.

Specifications

Load rating: 600 kg uniformly distributed

System weight: 258 kg

System lifting capacity: 75kg

Material: H30 (6082T6) aluminium

Standard legs supplied provide a platform a height of 3.3m - 5.5m

Additional leg options

Super legs - for a 4.5m - 6.8m platform height

16' legs - for a 3m - 4.76m platform height

14' legs - for a 2.75m - 4.15m platform height

9'5" bungalow legs - for a 2.34m - 2.9m platform height

Standards

EN 13374 Class C

EN 12811-1

Easi-Dec Ref ED030106A

Carriage charges may apply dependent on region for delivery.

Our Sales department will advise before processing your order.