

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Bahco 36 Piece Wind Turbine Toolkit

Product Images Product Code: A10-7650

































Short Description

36 piece wind turbine engineers toolkit for heavy duty applications.

Toolcase manufactured with injected copolymer polypropylene structural resin for use in the harshest environments, such as industrial, aeronautical and nautical fields. Air pressure valve for maximum protection against extreme weather conditions. Double robust bolt system for hermetic sealing. TSA-approved padlock.

Contents

- TAH1-100-06-2-4 and TAH1-210-06-2-2 second cut flat engineer's files
- TAH1-230-06-2-2 second cut round engineer's files
- TAH3625PU-50 and TAH489-1100 sledge hammers
- TAHBE64520 chain wrenches
- TAHPINRELEASER pin releaser
- TAHSCB140G steel cable cutting scissors
- TAH24B-27, TAH24B-30, TAH24B-32, TAH24B-36, TAH24B-38, TAH24B-41, TAH24B-46 and TAH24B-50 3/4" drive sockets
- TAH8950N/A 3/4" square torque wrench inserts
- TAH8961 tools for working at height extension
- TAH8953 universal handles
- TAH7452-2 reversible ratchets
- 7452-7-13, 7452-7-17 and 7452-7-19 open end torque wrench inserts
- TAH7455-300-1 and TAH7435-100 torque wrenches
- TAH111M-34, TAH111M-36, TAH111M-41, TAH111M-46 and TAH111M-50 combination wrenches
- TAH7444SG-M-36, TAH7444SG-M-41, TAH7444SG-M-46, TAH7444SG-M-50 and TAH7444SG-M-55 slogging ring spanners
- HD rigid case and 4750RCHDW02 container
- According to the standards defined by the DROPS drop prevention method

Other toolcase specifications

Retractable handle for when rolling on wheels

60 x 37 wheels on ball bearings for easy transport even when very loaded

Padlockable

Interstackable

1 rubber coated heavy duty handle

2 PP resin foldable handles on sides for when transporting between 2 persons

4 Closing latches, 4 bottom studs

Integrated identification/name badge

Dimensions: 480 x 290 x 630 mm

Weight: 34KG

All tools covered by Bahco's Lifetime Guarantee*

Please see specification sheet for for further details

Description

36 piece wind turbine engineers toolkit for heavy duty applications.

Toolcase manufactured with injected copolymer polypropylene structural resin for use in the harshest environments, such as industrial, aeronautical and nautical fields. Air pressure valve for maximum protection against extreme weather conditions. Double robust bolt system for hermetic sealing. TSA-approved padlock.

Contents

TAH1-100-06-2-4 and TAH1-210-06-2-2 second cut flat engineer's files

TAH1-230-06-2-2 second cut round engineer's files

TAH3625PU-50 and TAH489-1100 sledge hammers

TAHBE64520 chain wrenches

TAHPINRELEASER pin releaser

TAHSCB140G steel cable cutting scissors

TAH24B-27, TAH24B-30, TAH24B-32, TAH24B-36, TAH24B-38, TAH24B-41, TAH24B-46 and TAH24B-50 3/4" drive sockets

TAH8950N/A 3/4" square torque wrench inserts

TAH8961 tools for working at height extension

TAH8953 universal handles

TAH7452-2 reversible ratchets

7452-7-13, 7452-7-17 and 7452-7-19 open end torque wrench inserts

TAH7455-300-1 and TAH7435-100 torque wrenches

TAH111M-34, TAH111M-36, TAH111M-41, TAH111M-46 and TAH111M-50 combination wrenches

TAH7444SG-M-36, TAH7444SG-M-41, TAH7444SG-M-46, TAH7444SG-M-50 and TAH7444SG-M-55

slogging ring spanners

HD rigid case and 4750RCHDW02 container

According to the standards defined by the DROPS drop prevention method

Other toolcase specifications

Retractable handle for when rolling on wheels

60 x 37 wheels on ball bearings for easy transport even when very loaded

Padlockable

Interstackable

1 rubber coated heavy duty handle

2 PP resin foldable handles on sides for when transporting between 2 persons

4 Closing latches, 4 bottom studs

Integrated identification/name badge

Pimensions: 480 x 290 x 630 mm

Weight: 34KG

All tools covered by Bahco's Lifetime Guarantee*

Bahco ref: 4750RCHDW02FF15

Please see specification sheet for for further details