

# Heightec WK34A TowerPack Pre-Assembled Tower Rescue System 100m

Product Images

Product Code: S83-1116





## Short Description

---

TowerPack Tower Rescue System to be used by trained persons to perform snatch or pick off rescues when a person has fallen or become unable to help themselves.

Self-contained rescue system featuring the advanced POWERLOCK descender CE approved, with secondary braking, variable friction and high load rating of 200 kg. POWERLOCK has also passed EN12841C dynamic (drop) test. POWERLOCK can also be used as a lowering device and the rope can be removed and re-threaded for multiple or repeat lowering operations.

The kit comes complete with pick off sling and safety shears. Descender has over lock to prevent accidental descent. Anchorage sling is protected by webbing sleeve. Packed in KARI bag with shoulder carry straps and karabiner loop.

A safe working load that allows for two large workers plus equipment, designed and tested for a two person load. The safety shears can easily cut a loaded rope or lanyard but help prevent injuries to the user and are attached via cord to prevent them being dropped. The descender has a large and easy to use handle that will stop the descent if pulled too hard giving a safe descent. Webbing straps for easy carrying plus a loop to clip the bag out of the way whilst on site.

Rescue system also features the KARI 30 (B30). This form part of heightec's KARI range of tough, waterproof kit bags for storage and hauling.

Designed specifically for work at height and rescue, the KARI transport bag range brings all the features of traditional dry bags but with increased protection.

### Core components:

POWERLOCK rescue descender  
Tetra Rope 11 mm – terminated  
Sewn protected sling, 120 cm

Safety shears with cord and pouch  
Karabiners  
KARI 30 transport bag, WLL 18 kg, 30 L with roll top closure.

## Description

---

TowerPack Tower Rescue System to be used by trained persons to perform snatch or pick off rescues when a person has fallen or become unable to help themselves.

Self-contained rescue system featuring the advanced POWERLOCK descender CE approved, with secondary braking, variable friction and high load rating of 200 kg. POWERLOCK has also passed EN12841C dynamic (drop) test. POWERLOCK can also be used as a lowering device and the rope can be removed and re-threaded for multiple or repeat lowering operations.

The kit comes complete with pick off sling and safety shears. Descender has over lock to prevent accidental descent. Anchorage sling is protected by webbing sleeve. Packed in KARI bag with shoulder carry straps and karabiner loop.

A safe working load that allows for two large workers plus equipment, designed and tested for a two person load. The safety shears can easily cut a loaded rope or lanyard but help prevent injuries to the user and are attached via cord to prevent them being dropped. The descender has a large and easy to use handle that will stop the descent if pulled too hard giving a safe descent. Webbing straps for easy carrying plus a loop to clip the bag out of the way whilst on site.

Rescue system also features the KARI 30 (B30). This form part of heightec's KARI range of tough, waterproof kit bags for storage and hauling.

Designed specifically for work at height and rescue, the KARI transport bag range brings all the features of traditional dry bags but with increased protection.

### Core components:

POWERLOCK rescue descender  
Tectra Rope 11 mm – terminated  
Sewn protected sling, 120 cm  
Safety shears with cord and pouch  
Karabiners  
KARI 30 transport bag, WLL 18 kg, 30 L with roll top closure.