

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Triple Lanyard Set for Tools - 1.0 to 1.4m

Product Images Product Code: S83-3473



Short Description

Premium quality triple lanyard with three interchangeable tool ends that have 25cm (10 inch) webbing loops with dual channel locks and HK clips for quick tool changes.

This tool lanyard is specifically designed to be attached securely at one end to a hand tool, and the other end to a structure or a worker's belt or harness. It extends up to 1.4 metres and withstands defined load limits while being easily used by a worker, who may find themselves in a position in which an accidentally dropped tool could cause unwanted damage, injury or death.

The lanyard has a heavy-duty karabiner end and is rated for tools up to 2.7kg.

It is made from 2cm (0.78in) webbing with an internal shock cord and extends from 100-140cm (41-56in).

Features

- Rated for tools up to 2.7kg in weight
- High visibility 1/2" webbing with internal shock cord
- 10" Webbing loop with dual-channel lock for secure tool attachment
- Karabiner belt attachment
- Convenient webbing loop for belt attachment

Specifications

Material: NylonLength: 41-56 inWeight: 0.15 kg

Description

Premium quality triple lanyard with three interchangeable tool ends that have 25cm (10 inch) webbing loops with dual channel locks and HK clips for quick tool changes.

This tool lanyard is specifically designed to be attached securely at one end to a hand tool, and the other end to a structure or a worker's belt or harness. It extends up to 1.4 metres and withstands defined load limits while being easily used by a worker, who may find themselves in a position in which an accidentally dropped tool could cause unwanted damage, injury or death.

The lanyard has a heavy-duty karabiner end and is rated for tools up to 2.7kg.

It is made from 2cm (0.78in) webbing with an internal shock cord and extends from 100-140cm (41-56in).

Features

Rated for tools up to 2.7kg in weight High visibility 1/2" webbing with internal shock cord 10" Webbing loop with dual-channel lock for secure tool attachment Karabiner belt attachment Convenient webbing loop for belt attachment

<u>Specifications</u>

Material: Nylon Length: 41-56 in Weight: 0.15 kg