

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

LowPro 100 Narrow Trench Cover 40mm Deep

Product Images Product Code: S83-0200

























Short Description

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fibre-optic cable installations and is suitable for 75mm-100mm wide trenches.

The recycled plastic material grips the asphalt to minimise movement and provide a stable surface for pedestrians and vehicles.

Available in 1m sections, the LowPro 100 is supplied with fixings to bolt the one metre sections together.

The LowPro 100 fibre optic cable trench cover is available in 2 sizes, depending on the backfilled depth of the trench.

Features

Designed for fibre optic cable installations & maintenance
Suitable for Narrow-Trenching: 75mm-100mm excavations
Low profile, sits flat against the ground
Bends around corners
Suitable for pedestrian traffic and vehicles
1m sections can securely bolt together
Made of recycled plastic and is in turn recyclable
Highly slip-resistant in wet & dry conditions
High visibility inserts for safety both day and night
Available in 20mm and 40mm depths
Use the S83-1559 LowPro Trench Cover over T-Junctions
Comes with nyloc fixings

Specifications

Width 250mm Length 1065mm Height 53mm Weight 3.23kg Quantity / Pallet 100 Colour Black & Yellow

Description

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fibre-optic cable installations and is suitable for 75mm-100mm wide trenches.

The recycled plastic material grips the asphalt to minimise movement and provide a stable surface for pedestrians and vehicles.

Available in 1m sections, the LowPro 100 is supplied with fixings to bolt the one metre sections together.

The LowPro 100 fibre optic cable trench cover is available in 2 sizes, depending on the backfilled depth of the trench.

Features

Designed for fibre optic cable installations & maintenance
Suitable for Narrow-Trenching: 75mm-100mm excavations
Low profile, sits flat against the ground
Bends around corners
Suitable for pedestrian traffic and vehicles
1m sections can securely bolt together
Made of recycled plastic and is in turn recyclable
Highly slip-resistant in wet & dry conditions
High visibility inserts for safety both day and night

Available in 20mm and 40mm depths

Use the S83-1559 LowPro Trench Cover over T-Junctions Comes with nyloc fixings

Specifications

Width 250mm Length 1065mm Height 53mm Weight 3.23kg Quantity / Pallet 100 Colour Black & Yellow