

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

LowPro 100 Narrow Trench Cover 20mm Deep

Product Images

Product Code: S83-0201





https://www.millsltd.com/default/lowpro-100-narrow-trench-cover-20mm-deep.html 23/04/2024



Short Description

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fibre-optic cable installations and is suitable for 75mm-100mm wide trenches.

The recycled plastic material grips the asphalt to minimise movement and provide a stable surface for pedestrians and vehicles.

Available in 1m sections, the LowPro 100 is supplied with fixings to bolt the one metre sections together.

The LowPro 100 fibre optic cable trench cover is available in 2 sizes, depending on the backfilled depth of the trench.

<u>Features</u>

Designed for fibre optic cable installations & maintenance Suitable for Narrow-Trenching: 75mm-100mm excavations Low profile, sits flat against the ground Bends around corners Suitable for pedestrian traffic and vehicles 1m sections can securely bolt together Made of recycled plastic and is in turn recyclable Highly slip-resistant in wet & dry conditions High visibility inserts for safety both day and night Available in 20mm and 40mm depths Use the S83-1559 LowPro Trench Cover over T-Junctions Comes with nyloc fixings

Specifications

Width 250mm Length 1065mm Height 33mm Weight 3.2kg Quantity / Pallet 100 Colour Black & Yellow

Description

Developed for Project Gigabit, the LowPro Narrow Trench Cover is ideal for fibre-optic cable installations and is suitable for 75mm-100mm wide trenches.

The recycled plastic material grips the asphalt to minimise movement and provide a stable surface for pedestrians and vehicles.

Available in 1m sections, the LowPro 100 is supplied with fixings to bolt the one metre sections together.

The LowPro 100 fibre optic cable trench cover is available in 2 sizes, depending on the backfilled depth of the trench.

Features

Designed for fibre optic cable installations & maintenance Suitable for Narrow-Trenching: 75mm-100mm excavations Low profile, sits flat against the ground Bends around corners Suitable for pedestrian traffic and vehicles 1m sections can securely bolt together Made of recycled plastic and is in turn recyclable Highly slip-resistant in wet & dry conditions High visibility inserts for safety both day and night Available in 20mm and 40mm depths

https://www.millsltd.com/default/lowpro-100-narrow-trench-cover-20mm-deep.html 23/04/2024 Use the S83-1559 LowPro Trench Cover over T-Junctions Comes with nyloc fixings

Specifications

Width 250mm Length 1065mm Height 33mm Weight 3.2kg Quantity / Pallet 100 Colour Black & Yellow

https://www.millsltd.com/default/lowpro-100-narrow-trench-cover-20mm-deep.html 23/04/2024