

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

# UltraCrete Instant Road Repair 10mm Grade - 56x 25kg Bags

#### **Product Images**

Product Code: S00-4032











## **Short Description**

UltraCrete Instant Road Repair® 10mm grade is designed for permanent repairs in type 3 and 4 roads. HAPAS approved since 2002, Instant Road Repair offers a first time permanent repair and is instantly trafficable causing minimal disruption to motorists.

#### **Features**

Suitable for planned repairs Can be used in all weathers Use with SCJ Seal and Tack spray for a permanent repair Depth: 30 – 100mm Resealable tubs – no waste Satisfactory for use as a PCSM in accordance with Appendix A2.4 of the New Roads and Street Works Act 1991 : Specification for the Reinstatement of Openings in Highways (SROH) NBS Source registered for ease of specification UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

56x 25kg bags

Please see datasheet for further details

### Description

https://www.millsltd.com/default/ultracrete-instant-road-repair-10mm-grade-56x-25kg-bags.html

UltraCrete Instant Road Repair® 10mm grade is designed for permanent repairs in type 3 and 4 roads. HAPAS approved since 2002, Instant Road Repair offers a first time permanent repair and is instantly trafficable causing minimal disruption to motorists.

#### **Features**

Suitable for planned repairs Can be used in all weathers Use with SCJ Seal and Tack spray for a permanent repair Depth: 30 – 100mm Resealable tubs – no waste Satisfactory for use as a PCSM in accordance with Appendix A2.4 of the New Roads and Street Works Act 1991 : Specification for the Reinstatement of Openings in Highways (SROH) NBS Source registered for ease of specification UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

56x 25kg bags

#### Please see datasheet for further details