

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

UltraCrete M60 Rapid Strength Bedding Mortar - 56x 25kg Bags

Product Images Product Code: S00-4038







Short Description

M60 is the market leading rapid strength mortar, for use with all access covers, as well as for the bonding of granite setts, flags and bedding kerbs. HAPAS approved since 2005, M60 also conforms to HD27/15, has a rapid strength gain and can be opened to traffic in 1 hour.

Features

Workability: 5 - 10 minutes

Set time: 20 minutes Depth: 10mm – 75mm

24N/mm² compressive strength in 1hour

Shrinkage compensated

Approved for use on the London Underground and Overground

Bucket made from recycled material and is fully recyclable

NBS Source registered for ease of specification

UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

56x 25kg bags

Please see datasheet for further details

Description

M60 is the market leading rapid strength mortar, for use with all access covers, as well as for the bonding of granite setts, flags and bedding kerbs. HAPAS approved since 2005, M60 also conforms to HD27/15, has a rapid strength gain and can be opened to traffic in 1 hour.

Features

Workability: 5 - 10 minutes

Set time: 20 minutes Depth: 10mm – 75mm

24N/mm² compressive strength in 1hour

Shrinkage compensated

Approved for use on the London Underground and Overground

Bucket made from recycled material and is fully recyclable

NBS Source registered for ease of specification

UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

56x 25kg bags

Please see datasheet for further details