

UltraCrete M60 Rapid Strength Bedding Mortar - 40x 25kg Buckets

Product Images

Product Code: S00-4039





Short Description

M60 is the market leading rapid strength mortar, for use with all access covers, as well as for the bonding of granite setts, flags and bedding kerbs. HAPAS approved since 2005, M60 also conforms to HD27/15, has a rapid strength gain and can be opened to traffic in 1 hour.

Features

Workability: 5 – 10 minutes

Set time: 20 minutes

Depth: 10mm – 75mm

24N/mm² compressive strength in 1 hour

Shrinkage compensated

Approved for use on the London Underground and Overground

Bucket made from recycled material and is fully recyclable

NBS Source registered for ease of specification

UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

40x 25kg buckets

Please see datasheet for further details

Description

M60 is the market leading rapid strength mortar, for use with all access covers, as well as for the bonding of granite setts, flags and bedding kerbs. HAPAS approved since 2005, M60 also conforms to HD27/15, has a rapid strength gain and can be opened to traffic in 1 hour.

Features

Workability: 5 – 10 minutes

Set time: 20 minutes

Depth: 10mm – 75mm

24N/mm² compressive strength in 1 hour

Shrinkage compensated

Approved for use on the London Underground and Overground

Bucket made from recycled material and is fully recyclable

NBS Source registered for ease of specification

UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

40x 25kg buckets

Please see datasheet for further details