

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

UltraCrete Envirobed CD534 Flowable RED High Performance Mortar - 48x 18kg Bags

Product Images Product Code: S00-4046







Short Description

UltraCrete Envirobed®CD534 Flowable Red is pigmented red as a prescriptive solution for specific contracts and frame works to easily identify the composition of work carried out. It combines as a bedding mortar and backfill and is ideal for installing access covers and frames.

Features

- Detectably red
- BT LN550 and LN320 compliant
- Conforms to CD534 (formerly HA104)
- Can be used in the wet
- Aids lateral stability
- Depth: 10-75mm in one pass
- Workability: 15 minutes
- 44N/mm² compressive strength in 3 hours
- Size: 18kg paper bag & 2.5 litre bottle
- UltraCrete Accredited Reinstatement Specification (UCARS) product

Supplied on a pallet of:

48 x 18kg paper bags

48 x 2.5 litre bottles.

Please see datasheet for further details

Description

UltraCrete Envirobed®CD534 Flowable Red is pigmented red as a prescriptive solution for specific contracts and frame works to easily identify the composition of work carried out. It combines as a bedding mortar and backfill and is ideal for installing access covers and frames.

Features

Detectably red BT LN550 and LN320 compliant Conforms to CD534 (formerly HA104) Can be used in the wet Aids lateral stability Depth: 10-75mm in one pass Workability: 15 minutes

44N/mm² compressive strength in 3 hours

Size: 18kg paper bag & 2.5 litre bottle

UltraCrete Accredited Reinstatement Specification (UCARS) product Supplied on a pallet of:

48 x 18kg paper bags

48 x 2.5 litre bottles.

Please see datasheet for further details