

# Knipex 00 50 05 T BK Tool Tethering System Set

Product Images

Product Code: S83-0011



## Short Description

---

For use in building construction, civil engineering, building maintenance; for industrial climbers, roofers, mountaineers, in rock climbing, for trade fair projects.

Reliably prevents the tool falling down, and can protect against serious injuries, damage to property or loss

### Features

Large working radius: up to 155 cm long lanyard made of an elasticated flat belt for convenient working  
Versatile: using the attached carabiner, the lanyard can be secured quickly and directly to belt, climbing equipment etc.

Due to the combination with the lanyard, many versatile attachment variations are possible

Max. load: 1.5 kg tool weight

Suitable for all KNIPEX pliers with tether attachment

Lanyard extends to length of around 10 inches (260 mm). Rig to avoid contact with objects below.

Read all warnings and instructions on product and packaging carefully prior to use

Only for latching tools from the KNIPEX Tethered Tools range, connected and combined in accordance with tethering system instructions

Do not use around moving or rotating equipment

Will not support human weight

Inspect for wear before each use. Do not use if evidence of wear.

Load capacity 1,5 kg / 3,3 lbs

## Description

---

For use in building construction, civil engineering, building maintenance; for industrial climbers, roofers, mountaineers, in rock climbing, for trade fair projects.

Reliably prevents the tool falling down, and can protect against serious injuries, damage to property or loss

### Features

Large working radius: up to 155 cm long lanyard made of an elasticated flat belt for convenient working  
Versatile: using the attached carabiner, the lanyard can be secured quickly and directly to belt, climbing equipment etc.

Due to the combination with the lanyard, many versatile attachment variations are possible

Max. load: 1.5 kg tool weight

Suitable for all KNIPEX pliers with tether attachment

Lanyard extends to length of around 10 inches (260 mm). Rig to avoid contact with objects below.

Read all warnings and instructions on product and packaging carefully prior to use  
Only for latching tools from the KNIPEX Tethered Tools range, connected and combined in accordance with tethering system instructions  
Do not use around moving or rotating equipment  
Will not support human weight  
Inspect for wear before each use. Do not use if evidence of wear.

Load capacity 1,5 kg / 3,3 lbs