



Knipex 03 06 180 1000V VDE Combination Pliers 180mm

Product Images

Product Code: E00-0102







Short Description

With gripping zones for flat and round material, suitable for versatile use.

With cutting edges for soft and hard wire

Long cutting edges for thicker cables

Cutting edges additionally induction-hardened, cutting edge hardness approx.

60 HRC Special tool steel, forged, multi stage oil-hardened

Specifications

Head chrome-plated

Handles insulated with multi-component grips, VDE-tested

Weight 264 g

Dimensions 180 x 55 x 20 mm

Standard DIN ISO 5746 DIN EN 60900 IEC 60900

REACH compliant does not contain SVHC

RoHS compliant not applicable

Cutting capacities medium hard wire (diameter) Ø 3.4 mm

Cutting capacities hard wire (diameter) Ø 2.2 mm

Cutting capacity copper cable, multiple-stranded Ø 12.0 mm

Cutting capacity copper cable, multiple-stranded 16.0 mm²

Description

With gripping zones for flat and round material, suitable for versatile use.

With cutting edges for soft and hard wire

Long cutting edges for thicker cables

Cutting edges additionally induction-hardened, cutting edge hardness approx.

60 HRC Special tool steel, forged, multi stage oil-hardened

Specifications

Head chrome-plated

Handles insulated with multi-component grips, VDE-tested

Weight 264 g

Dimensions 180 x 55 x 20 mm

Standard DIN ISO 5746 DIN EN 60900 IEC 60900

REACH compliant does not contain SVHC

RoHS compliant not applicable

Cutting capacities medium hard wire (diameter) Ø 3.4 mm

Cutting capacities hard wire (diameter) Ø 2.2 mm

Cutting capacity copper cable, multiple-stranded Ø 12.0 mm

Cutting capacity copper cable, multiple-stranded 16.0 mm²