

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Runpotec CW 800 E Capstan Cable Pulling Winch with Trolley 240v

Product Images Product Code: S00-6933



Short Description

Ideally suited for horizontal pulling of one or more cables.

Where several persons are needed for higher pulling loads on many sites, one person is sufficient to pull in the cables with the CW 800 E capstan winch from RUNPOTEC with a choice of 4 m/min | max. 800 kg or 8 m/min | max. 400 kg.

The capstan winch can be fixed via the mounting holes or attached to solid objects with the enclosed strap. The trolley mounting rail also offers a very practical fastening option.

It can be attached to the trailer hitch of a vehicle through the special coupling opening.

It is also possible to mount the rail horizontally or vertically, and then simply hook in the CW 800 E capstan winch and fasten it using the two fixing bolts.

Features

One person can pull up to 800 kg with the CW 800 E capstan winch Selectable traction force or traction speed 800 kg | 400 kg Small, compact, handy
Many mounting options
Safety rope guide
Overload protection

Specifications

Runpotec Item No.10138

Weight Capstan Winch 32 kg

Weight Winch + Trolley + Trap 41,20 kg

Capstan Pulling Force up to 800 kg at 4m per min

Capstan Pulling Force up to 400 kg at 8m per min

Motor Connection 230 V | 50 Hz

Motor Drive Power 0,75 KWh | 5,1 A

Motor Speed 1400 U/min

Dimension Winch 37 cm x 50 cm x 33 cm

Dimension Trolley 23,5 cm x 100 cm x 20,5 cm

Strap Length 3 m

Description

Ideally suited for horizontal pulling of one or more cables.

Where several persons are needed for higher pulling loads on many sites, one person is sufficient to pull in the cables with the CW 800 E capstan winch from RUNPOTEC with a choice of 4 m/min | max. 800 kg or 8 m/min | max. 400 kg.

The capstan winch can be fixed via the mounting holes or attached to solid objects with the enclosed strap. The trolley mounting rail also offers a very practical fastening option.

It can be attached to the trailer hitch of a vehicle through the special coupling opening.

It is also possible to mount the rail horizontally or vertically, and then simply hook in the CW 800 E capstan winch and fasten it using the two fixing bolts.

Features

One person can pull up to 800 kg with the CW 800 E capstan winch Selectable traction force or traction speed 800 kg | 400 kg Small, compact, handy
Many mounting options
Safety rope guide
Overload protection

Specifications

Runpotec Item No.10138

Weight Capstan Winch 32 kg

Weight Winch + Trolley + Trap 41,20 kg

Capstan Pulling Force up to 800 kg at 4m per min

Capstan Pulling Force up to 400 kg at 8m per min

Motor Connection 230 V | 50 Hz

Motor Drive Power 0,75 KWh | 5,1 A

Motor Speed 1400 U/min

Dimension Winch 37 cm x 50 cm x 33 cm

Dimension Trolley 23,5 cm x 100 cm x 20,5 cm

Strap Length 3 m