

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600


Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Milwaukee M12 HYDROPASS Brushed Stick Water Pump - Bare Unit

Product Images Product Code: P09-1010





https://www.millsltd.com/default/milwaukee-m12-hydropass-brushed-stick-water-pump-bare-unit.html 29/04/2024



Short Description

Pumps more then 2000 litres per hour and up to 1000 litres on 1x M12[™] 6.0 Ah battery*, perfect for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications.

The HYDROPASS™ unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered

Submersible up to 85 cm, allows users to easily pump large poolss of water with a max head height of 4.5 metres.

3/4" BSPT thread outlet allows for connecting 19mm (inner diameter) hoses for maximum volume movement

This pump is suitable for, white, grey and black water only

Premium 4-pole brushed motor.

Specifications

Flow rate: 2040 litres per hour Flow rate: 34 litres oer minute Max. head height: 4.5 metres Max. water temperature: 60°C

Thread size: 3/4" (19mm) male thread

Voltage: 12v

Model: M12 BSWP-0

*Bare unit only - Please order batteries and charger separately.

Description

Pumps more then 2000 litres per hour and up to 1000 litres on 1x M12[™] 6.0 Ah battery*, perfect for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications.

The HYDROPASS™ unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered

Submersible up to 85 cm, allows users to easily pump large poolss of water with a max head height of 4.5 metres.

3/4" BSPT thread outlet allows for connecting 19mm (inner diameter) hoses for maximum volume movement

This pump is suitable for, white, grey and black water only

Premium 4-pole brushed motor.

Specifications

Flow rate: 2040 litres per hour Flow rate: 34 litres oer minute Max. head height: 4.5 metres Max. water temperature: 60°C

Thread size: 3/4" (19mm) male thread

Voltage: 12v

Model: M12 BSWP-0

*Bare unit only - Please order batteries and charger separately.