

# Fire Extinguisher - CO<sub>2</sub> - 5 Litre

Product Images

Product Code: S00-3037



## Short Description

---

CO2 Extinguishers are designed to tackle both electrical and flammable liquid hazards (Class B Petrol Oil, Paints, Fats and flammables)

CO2 is harmless to machinery and can safely be used on electrical equipment.

### Features

Light Aluminium Body.

Discharge time 14 seconds

Range of Throw: >4 metres

Test Valve.

Complete with mounting bracket.

Dimensions: H750 x 152mm diameter

Capacity 5 litre.

Weight: 11.43 kg

'Fire rating' (70B).

Manufactured under ISO 9001 and Kitemarked to BS EN3.

Approval: BS EN3: 1996 CE marked

5 Year Warranty if serviced in accordance with BS5306 Part 3.

## Description

---

CO2 Extinguishers are designed to tackle both electrical and flammable liquid hazards (Class B Petrol Oil, Paints, Fats and flammables)

CO2 is harmless to machinery and can safely be used on electrical equipment.

### Features

Light Aluminium Body.

Discharge time 14 seconds

Range of Throw: >4 metres

Test Valve.

Complete with mounting bracket.

Dimensions: H750 x 152mm diameter

Capacity 5 litre.

Weight: 11.43 kg

'Fire rating' (70B).

Manufactured under ISO 9001 and Kitemarked to BS EN3.

Approval: BS EN3: 1996 CE marked

5 Year Warranty if serviced in accordance with BS5306 Part 3.