

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Fire Extinguisher - Foam - 6 Litre

Product Images

Product Code: S00-3036



Six litre foam fire extinguisher manufactured to tackle class 21A and 144B type fires involving materials such as paper, card, straw, wood, rubber, plastics, liquid spill fires such as petrol, oil, fats, paints etc.

Features

- Kitemarked to BS EN3
- CE approved
- Class 21A and 144B
- Squeeze grip operation
- Corrosion resistant finish
- Internal polythene lining
- Protective plastic base
- Complete with bracket
- Has passed the 35kv conductivity discharge test

Specifications

Capacity: 6 litres Fire Rating: 21A Height: 560mm Overall Width: 300mm Filling Weight: 9.6kg Range of throw: 4 metres Working Pressure: 15 bar Duration of Discharge: 30 seconds Temperature Range: +5 to +60 Degrees BS EN3 Approved (KiteMarked): Yes CE Approved : Yes

Description

Six litre foam fire extinguisher manufactured to tackle class 21A and 144B type fires involving materials such as paper, card, straw, wood, rubber, plastics, liquid spill fires such as petrol, oil, fats, paints etc.

<u>Features</u>

Kitemarked to BS EN3 CE approved Class 21A and 144B Squeeze grip operation Corrosion resistant finish Internal polythene lining Protective plastic base Complete with bracket Has passed the 35kv conductivity discharge test

Specifications

Capacity: 6 litres Fire Rating: 21A Height: 560mm Overall Width: 300mm Filling Weight: 9.6kg Range of throw: 4 metres Working Pressure: 15 bar Duration of Discharge: 30 seconds Temperature Range: +5 to +60 Degrees BS EN3 Approved (KiteMarked): Yes CE Approved : Yes