

Fire Extinguisher - Foam - 2 Litre

Product Images

Product Code: S00-3041



Short Description

Two litre foam fire extinguisher manufactured to tackle class A and B type fires involving materials such as paper, card, straw, wood, rubber, plastics, liquid spill fires such as petrol, oil, fats, paints etc.

Features

Kitemarked to BS EN3
CE approved
Squeeze grip operation
Corrosion resistant finish
Internal polythene lining
Protective plastic base
Complete with bracket
Has passed the 35kv conductivity discharge test

Specifications

Capacity: 2 litres
Fire Rating: 8A / 55B
Height: 395mm
Overall Width: 150mm
Filling Weight: 3.81kg
Range of Throw: 2 metres
Working Pressure: 15 bar
Duration of Discharge: 12 seconds
Temperature Range: +5 to +60 Degrees
BS EN3 Approved (KiteMarked): Yes

Description

Two litre foam fire extinguisher manufactured to tackle class A and B type fires involving materials such as paper, card, straw, wood, rubber, plastics, liquid spill fires such as petrol, oil, fats, paints etc.

Features

Kitemarked to BS EN3
CE approved
Squeeze grip operation
Corrosion resistant finish
Internal polythene lining
Protective plastic base
Complete with bracket
Has passed the 35kv conductivity discharge test

Specifications

Capacity: 2 litres

Fire Rating: 8A / 55B

Height: 395mm

Overall Width: 150mm

Filling Weight: 3.81kg

Range of Throw: 2 metres

Working Pressure: 15 bar

Duration of Discharge: 12 seconds

Temperature Range: +5 to +60 Degrees

BS EN3 Approved (KiteMarked): Yes