



Mills Limited  
Unit 2,  
Zodiac Business Park,  
High Road,  
Cowley  
Uxbridge  
UB8 2GU

Contact us on:  
Tel: 020 8833 2626  
Fax: 020 8833 2600  
Email: sales@millsltd.com

Company No. 00282704  
VAT No. 227082574

# SDS Max Masonry Drill Bit - 16mm x 390mm

Product Images

Product Code: N36-1000



## Short Description

The high quality solution for truer, rounder holes - ideal for precise technical fixing applications.

1

<https://www.millsltd.com/default/sds-max-masonry-drill-bit-16mm-x-390mm.html>

30/04/2024

Perfect for heavy duty, large diameter and deep hole drilling.

Diameter: 16mm

Working length: 250mm

Length overall: 390mm

## Features

### **Cross Head Design**

Unique Cross Head ensures all 4 cutting edges work at the same time to provide a smoother drilling action

### **Carbide Side Tips**

Purpose designed carbide side tips are complimentary cutters to the main carbide and help provide a more effective drilling motion

### **Deep Clearways**

Deep precision machined clearways in between carbide tips allow spoil to flow quickly away from the cutting edge, avoiding trapped material and providing longer tool life

### **Co-Planer Faceting**

The 30 degree rake angle on the main carbide tip is matched by an identical 30 degree facet on the supporting steel. This allows spoil to flow along an uninterrupted path down the carbide edge for faster drilling and longer life

### **SDS Max can be used in:**

- Heavy duty concrete
- General concrete
- Hard bricks
- Soft bricks
- Lightweight blocks
- Natural stone
- Constructional granite
- Limestone

### **SDS Max are ideal when drilling holes for:**

- Fixings holes and anchors
- Through holes for cables & wires
- Through holes for pipes
- Pilot holes for pipes
- Pilot holes for coring
- Property maintenance

## Description

---

The high quality solution for truer, rounder holes - ideal for precise technical fixing applications.

Perfect for heavy duty, large diameter and deep hole drilling.

Diameter: 16mm

Working length: 250mm

Length overall: 390mm

### Features

#### **Cross Head Design**

Unique Cross Head ensures all 4 cutting edges work at the same time to provide a smoother drilling action

#### **Carbide Side Tips**

Purpose designed carbide side tips are complimentary cutters to the main carbide and help provide a more effective drilling motion

#### **Deep Clearways**

Deep precision machined clearways in between carbide tips allow spoil to flow quickly away from the cutting edge, avoiding trapped material and providing longer tool life

#### **Co-Planer Faceting**

The 30 degree rake angle on the main carbide tip is matched by an identical 30 degree facet on the supporting steel. This allows spoil to flow along an uninterrupted path down the carbide edge for faster drilling and longer life

#### **SDS Max can be used in:**

Heavy duty concrete  
General concrete  
Hard bricks  
Soft bricks  
Lightweight blocks  
Natural stone  
Constructional granite

Limestone

3

## **SDS Max are ideal when drilling holes for:**

Fixings holes and anchors

Through holes for cables & wires

Through holes for pipes

Pilot holes for pipes

Pilot holes for coring

Property maintenance