

# CorePlus General-Purpose Hybrid Turbo Diamond Blade - 125mm

Product Images

Product Code: P09-0612



## Short Description

---

The CorePlus General-Purpose Diamond Blade utilises hybrid turbo technology (HTT), interspersed turbo segments provide the optimum balance between long life and fluid speed.

It has a precision-engineered, high-grade steel tensioned core for a blade that spins true. A high concentration of premium-grade diamond per segment and a bonded cutting edge help to prevent the diamond from getting glazed over in use.

Manufactured to EN 13236 quality standard.

For cutting the following materials:

- Asphalt
- Asphalt Over Concrete
- Blocks - Breeze
- Clay - Paviours
- Clay - Pipes
- Clay - Roof Tiles
- Concrete - Hard Aggregates
- Concrete - Paving Slabs
- Concrete - Pipes
- Concrete - Kerbs
- Concrete - Tiles
- Concrete - Cured
- Concrete - Lintels
- Concrete - Lintels Reinforced
- Concrete - Limestone
- Bricks
- Bricks - Engineering
- Bricks - Hard Facing
- Bricks - Medium Facing
- Paviours - Hard
- Paviours - Medium Block
- Sandstone - Hard
- Slate
- Slate - Hard
- Roofing Tiles
- Quarry Tiles

Specification:

Diameter: 125mm

Bore: 22.23mm

Segment Height: 15mm

Segment Width: 2.8mm

## Description

---

The CorePlus General-Purpose Diamond Blade utilises hybrid turbo technology (HTT), interspersed turbo segments provide the optimum balance between long life and fluid speed.

It has a precision-engineered, high-grade steel tensioned core for a blade that spins true. A high concentration of premium-grade diamond per segment and a bonded cutting edge help to prevent the diamond from getting glazed over in use.

Manufactured to EN 13236 quality standard.

For cutting the following materials:

Asphalt

Asphalt Over Concrete

Blocks - Breeze

Clay - Paviours

Clay - Pipes

Clay - Roof Tiles

Concrete - Hard Aggregates

Concrete - Paving Slabs

Concrete - Pipes

Concrete - Kerbs

Concrete - Tiles

Concrete - Cured

Concrete - Lintels

Concrete - Lintels Reinforced

Concrete - Limestone

Bricks

Bricks - Engineering

Bricks - Hard Facing

Bricks - Medium Facing

Paviours - Hard

Paviours - Medium Block

Sandstone - Hard

Slate

Slate - Hard

Roofing Tiles

Quarry Tiles

Specification:

Diameter: 125mm

Bore: 22.23mm

Segment Height: 15mm

Segment Width: 2.8mm