

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Fax: 020 8833 2600 Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

# Belle HPP21 Major 30/140 -Honda GX390 Petrol Power Pack

Product Images Product Code: P57-4009





# **Short Description**

A portable and efficient on site power source, offering excellent power to weight ratio.

Hydraulic power packs are 3 times more efficient than typical pneumatic systems and come with integrated Power On-Demand (POD) system.

#### Features

- Portable and compact enough to be transported in estate cars and small vans.
- Low hydraulic oil cut out protects tools and system pump.

- Hydraulic oil sight level
- Rigid and durable chassis and steel protection frame to prevent component damage.
- Hose storage position and lifting-eye integrated into protection frame.
- Customer colour options on protection frame.
- Packs fitted with wheels to make them easy to transport on site.
- Supplied with removeable braided Siamese hose set with high quality non-drip face couplings (these are pre-filled with Hydraulic Oil).
- Removable hose sets are easier for transportation and can be changed quickly if damaged.
- Power Pack is easier to store with hoses removed.
- Can be used with ALTRAD Belle Hydraulic Breakers, Roller Strikers and Hydraulic Submersible Pumps.

## **Specification**

Engine Power (Hp) - (kW) 11.8 - 8.7 Hose Length 6.75 metres Pressure 140 bar Flow 30 l/min Oil Tank Capacity 6.2 litres Fuel Tank Capacity 6.5 litres Dimensions W x L x H 555 x 740 x 620mm Weight 72kg

# **Description**

A portable and efficient on site power source, offering excellent power to weight ratio.

Hydraulic power packs are 3 times more efficient than typical pneumatic systems and come with integrated Power On-Demand (POD) system.

### Features

Portable and compact enough to be transported in estate cars and small vans.

Low hydraulic oil cut out protects tools and system pump.

Hydraulic oil sight level

Rigid and durable chassis and steel protection frame to prevent component damage.

Hose storage position and lifting-eye integrated into protection frame.

Customer colour options on protection frame.

Packs fitted with wheels to make them easy to transport on site.

Supplied with removeable braided Siamese hose set with high quality non-drip face couplings (these are pre-filled with Hydraulic Oil).

Removable hose sets are easier for transportation and can be changed quickly if damaged.

Power Pack is easier to store with hoses removed.

Can be used with ALTRAD Belle Hydraulic Breakers, Roller Strikers and Hydraulic Submersible Pumps.

## Specification

Engine Power (Hp) - (kW) 11.8 - 8.7 Hose Length 6.75 metres Pressure 140 bar Flow 30 l/min Oil Tank Capacity 6.2 litres Fuel Tank Capacity 6.5 litres Dimensions W x L x H 555 x 740 x 620mm Weight 72kg