

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

D Door Quick Erect Tent - 1.8m x 1.8m x 2m

Product Images Product Code: S00-5384





Short Description

A quick erect jointers tent, ready to use in just 10 seconds. D door versions are the preferred choice for telecommunications use as they are easily able to fit over most street enclosures.

This D door version measures $180 \times 180 \times 200$ cms, weighs just 8kg and can be quickly packed away into the supplied carry bag. Folded dimensions $135 \times 19 \times 19$ cm.

Features

Upgraded stronger centre joint
Folded 135cm x 19cm x 19cm
Fibreglass Rod dia. 12mm
100% Waterproof fabric
100% Waterproofed - TAPED seams
No loose components
Rods FIXED firmly into centre joint
Walk in height 1.75m
Flame retardant – CPAI-84
10 second easy assembly
Non-conductive

PU coated Polyester Cover

Side mesh covered vents - zipped - 2off Guy lines & tent pegs Heavy-duty PVC carry bag Assembly instructions

1.8 m (L) x 1.8 m (W) x 2 m (H) Weight 8kg

Formerly S00-0949

Description

A quick erect jointers tent, ready to use in just 10 seconds. D door versions are the preferred choice for telecommunications use as they are easily able to fit over most street enclosures.

This D door version measures $180 \times 180 \times 200$ cms, weighs just 8kg and can be quickly packed away into the supplied carry bag. Folded dimensions $135 \times 19 \times 19$ cm.

Features

Upgraded stronger centre joint Folded 135cm x 19cm x 19cm Fibreglass Rod dia. 12mm 100% Waterproof fabric 100% Waterproofed - TAPED seams No loose components Rods FIXED firmly into centre joint Walk in height 1.75m Flame retardant - CPAI-84 10 second easy assembly Non-conductive PU coated Polyester Cover Side mesh covered vents - zipped - 2off Guy lines & tent pegs Heavy-duty PVC carry bag Assembly instructions

1.8m (L) x 1.8m (W) x 2m (H) Weight 8kg

Formerly S00-0949