

EXFO FIP-435B Wireless Fibre Inspection Probe

Product Images

Product Code: C00-0212



Short Description

Turn your Android™ device into a fully automated fibre inspection solution delivering fast and consistent

test results.

With no cable in your way or cumbersome battery pack, it provides unmatched user experience combined with complete portability.

The FIP-435B is a truly wireless solution. The live video feed is streamed via Wi-Fi without any wired connection between the probe and the smart device or any need for a cumbersome external battery pack.

This greatly improves functional design and eliminates the risk of damaging your smart device by accidentally pulling a wire while manipulating the inspection tool.

With its unmatched automation, simplified test ergonomics and pure freedom of operation, the FIP-435B makes technicians lives much easier and facilitates the adoption of best practices.

Smart device connectivity in any location allows you to sync results and reports to cloud servers via e-mail or other communication means available through your smart device.

Applications:

- Fibre-to-the-antenna (FTTA)
- FTTx and hybrid networks
- DAS and fibre-fed small cells
- Datacenters
- Campus and private networks
- Central office
- Laboratories and manufacturing operations

Specification

Triple Magnification

Image Capture

ConnectorMax

Auto Centering

Auto Focus

On-Board Pass/Fail LED Indicator

Usable on PC

Usable on MaxTester

Usable on FTB Ecosystem

Handheld Display Available

See datasheet for further details

Description

Turn your Android™ device into a fully automated fibre inspection solution delivering fast and consistent test results.

With no cable in your way or cumbersome battery pack, it provides unmatched user experience combined with complete portability.

The FIP-435B is a truly wireless solution. The live video feed is streamed via Wi-Fi without any wired connection between the probe and the smart device or any need for a cumbersome external battery pack.

This greatly improves functional design and eliminates the risk of damaging your smart device by accidentally pulling a wire while manipulating the inspection tool.

With its unmatched automation, simplified test ergonomics and pure freedom of operation, the FIP-435B makes technicians lives much easier and facilitates the adoption of best practices.

Smart device connectivity in any location allows you to sync results and reports to cloud servers via e-mail or other communication means available through your smart device.

Applications:

- Fibre-to-the-antenna (FTTA)
- FTTx and hybrid networks
- DAS and fibre-fed small cells
- Datacenters
- Campus and private networks
- Central office
- Laboratories and manufacturing operations

Specification

- Triple Magnification
- Image Capture
- ConnectorMax
- Auto Centering
- Auto Focus
- On-Board Pass/Fail LED Indicator
- Usable on PC
- Usable on MaxTester
- Usable on FTB Ecosystem
- Handheld Display Available

See datasheet for further details